



Jieyi 杰亿

亿海

hairuo 海若



广州好龙厨具设备有限公司

Guangzhou GoodLoog Kitchen Equipment Co.,Ltd

[Https://www.goodloog.com](https://www.goodloog.com)

ODM

OEM

Small MOQ

Tel&Fax:86(0)20 8901 7502

E-mail:sales@goodloog.com

[Https://www.goodloog.com](https://www.goodloog.com)

Add: Room No.15,No.2 Street,ChengDa Square, Li Jiao Hai Zhu Area, Guangzhou, GD,510310,China



WhatsApp

The pictures of products contained in Catalogue are just for references.

We reserve the right to make any modifications for product improproduct impervement.

GuangZhou,Guangdong,China



Company's Profile

GoodLoog Group Limited is one of leading companies which specializes in machine manufacture industry.



Goodloog is a subsidiary company of JieYi Kitchen Equipment CO.,Ltd,Jie Yi located in Huashan town HuaDu,Guangzhou,which enjoying the reputation of "Chinese Catering Equipment Capital", our factory covers an area of more than 6,000 square meters with superior location,adjacent to Guangzhou Baiyun Airport.

Goodloog's Research&Development Department generals technical and innovative machine designers who take training regularly.By doing this,top machine technology can be seen from a piece of Goodloog's work,such as Egg Waffle Maker,Crepe Maker,Fryer,BBQ Grill,Griddle,Pizza Oven, Popcorn Machine etc.We also accept OEM&ODM order,designs provided by clients can be customized.

With its advanced technology,Goodloog grows to be a company of designing,manufacturing and selling machines to customers all over the world,our products have been exported to USA,UK,Germany,Italy,Canada,Mexico,Singapore,Malaysia Korea,Saudi Arabia,India,UAE,etc.


Based on the high technical support and work team with more than 10 years' manufacturing experience,we providecustomers with continuous including selling installing and adtersale service.

TEAM



CAPACITY

Production Process



1. Laser Cutting



2. Notching and Punching



3. CNC Notching and Punching



4. CNC Touch Screen



5. CNC Folding



6. Seaming



7. Polishing and Grinding



8. Installation



9. Installation



Contents



- 61 Roast Sausage Machine Series
- 65 Egg Boiler Series
- 67 Pasta Cooker Series
- 69 Bain Marie Series
- 73 Oden Series
- 75 Chocolate Melting Machine Series
- 84 Popcorn Machine Series
- 85 Chocolate Fountain Machine Series
- 87 Squeeze Bottle Warmer Series
- 89 Contact Grill Series
- 93 Griddle Series
- 99 Lava Rock BBQ Grill Series
- 101 Fryer Series


- 01 Waffle Maker with Remocable Plates Series
- 03 Hong Kong Egg Waffle Maker Series
- 07 Stick Waffle Maker Series
- 15 Donut Waffle Maker Series
- 17 Waffle Maker Series
- 23 Burger Maker Series
- 25 Waffle Maker Series
- 35 Ice Cream Cone Maker Series
- 37 Commercial Mini Pancake Maker Series
- 42 Taiyaki Maker Series
- 49 Takoyaki Maker Series
- 51 Crepe Maker Series
- 57 Burger Maker Series
- 58 Obanyaki Maker Series



- 109 Donut Machine Series
- 110 Churros Machine Series
- 113 Shawarma Machine & BBQ Grill Series
- 117 Commercial Pizza Oven Series
- 120 Connection Oven Series
- 121 Salamander Series
- 123 Toaster Series
- 125 Food Warming Showcase Series
- 133 Fries Machine Series
- 135 Smoothie Blender Series
- 137 Coffee Powder Press Series
- 138 French Fries Cutter Series
- 140 BH Product Series
- 148 New Product Series
- 149 Dummy Waffle Series



MODEL	FY-GL04	FY-GL07-D
Name	Belgium Waffle Maker	Digital Waffle Cone Maker
Packing Size(mm)	505*315*360	505*315*360
Dimensions(mm)	430*285*235	430*285*235
G/W(kg)	17	17
Power(w)	2000	2000
Voltage(v)	220/110	220/110
Entire Plate Size(mm)	210*210	210*210
Single Waffle Size(mm)	60*56	180*35



MODEL	FY-F24	FY-F25-D
Name	Stick Waffle Maker	4 Grid Waffle Maker
Packing Size(mm)	505*315*360	505*315*360
Dimensions(mm)	430*285*235	430*285*235
G/W(kg)	17	17
Power(w)	1750	1750
Voltage(v)	220/110	220/110
Entire Plate Size(mm)	210*210	210*210
Single Waffle Size(mm)	180*35	85*85





MODEL	FY-GL01
Name	Rotating Egg Waffle Maker
Packing Size(mm)	505*315*345
Dimensions(mm)	438*285*260
G/W(kg)	15
Power(w)	1750
Voltage(v)	220/110
Single Plate Size(mm)	175*205
Egg Grid Size(mm)	25*30*12



MODEL	FY-GL01-D
Name	Rotating Egg Waffle Maker
Packing Size(mm)	505*315*345
Dimensions(mm)	438*285*260
G/W(kg)	15
Power(w)	1750
Voltage(v)	220/110
Single Plate Size(mm)	175*205
Egg Grid Size(mm)	25*30*12



MODEL	FY-6G-1	FY-6G-2
Name	Egg Waffle Maker	Egg Waffle Maker
Packing Size(mm)	510*320*305	510*320*305
Dimensions(mm)	435*350*265	435*350*265
G/W(kg)	8	8
Power(w)	1415	1415
Voltage(v)	220/110	220/110
Single Plate Size(mm)	175*205	220*210
Egg Grid Size(mm)	25*30*12	25*33*12



MODEL	FY-2261
Name	Egg Waffle Maker
Packing Size(mm)	565*410*265
Dimensions(mm)	685*350*180
G/W(kg)	12.5
Power(w)	1600
Voltage(v)	220/110
Single Plate Size(mm)	230*190
Single Waffle Size(mm)	120*175*30





MODEL	FY-6Y (EGO)
Name	Egg Waffle Maker
Packing Size(mm)	475*295*305
Dimensions(mm)	420*255*290
G/W(kg)	7
Power(w)	1415
Voltage(v)	220/110
Single Plate Size(mm)	175*205
Egg Grid Size(mm)	25*30*12



MODEL	FY-6	FY-6-2
Name	Egg Waffle Maker	Egg Waffle Maker
Packing Size(mm)	475*295*305	475*295*305
Dimensions(mm)	420*255*290	420*255*290
G/W(kg)	6.5	6.5
Power(w)	1415	1415
Voltage(v)	220/110	220/110
Single Plate Size(mm)	175*205	175*205
Egg Grid Size(mm)	25*30*12	25*30*12



MODEL	FY-6S
Name	Heart Egg Waffle Maker
Packing Size(mm)	485*315*310
Dimensions(mm)	400*245*255
G/W(kg)	9.51
Power(w)	1415
Voltage(v)	220/110
Single Plate Size(mm)	175*205
Egg Grid Size(mm)	25*30*12



MODEL	FY-6A.R
Name	Gas Egg Waffle Maker
Packing Size(mm)	450*270*260
Dimensions(mm)	420*220*210
G/W(kg)	6.5
Egg Grid Size(mm)	25*30*12
Single Plate Size(mm)	175*205
Gas Type	LPG
Gas Pressure(Pa)	2800
Note:	Low Pressure Valve Only.





MODEL	FYW-119B01-D
Name	Stick Waffle Maker
Packing Size(mm)	360*650*350
Dimensions(mm)	320*600*310
G/W(kg)	16
Power(w)	1600
Voltage(v)	220/110
Single Waffle Size(mm)	160*40
Waffle Depth(mm)	15



MODEL	FY-114
Name	Stick Waffle Maker
Packing Size(mm)	485*320*340
Dimensions(mm)	400*220*300
G/W(kg)	8.1
Power(w)	1340
Voltage(v)	220/110
Single Waffle Size(mm)	145*40
Waffle Depth(mm)	34

MODEL	FY-114.R
Name	Gas Stick Waffle Maker
Packing Size(mm)	450*270*260
Dimensions(mm)	420*220*210
G/W(kg)	7
Gas Type	LPG
Gas Pressure(Pa)	2800
Note	Low Pressure Valve Only



MODEL	FY-216	FY-119
Name	Stick Waffle Maker	Stick Waffle Maker
Packing Size(mm)	435*410*305	435*410*305
Dimensions(mm)	390*340*245	390*340*245
G/W(kg)	11	10.5
Power(w)	1550	1550
Voltage(v)	220/110	220/110
Entire Plate Size(mm)	320*185	320*185
Single Waffle Size(mm)	140*40	140*40
Waffle Depth(mm)	15	15



MODEL	FY-117	FY-5
Name	Stick Waffle Maker	Hot Dog Shaped Waffle Maker
Packing Size(mm)	410*395*305	410*395*305
Dimensions(mm)	360*330*245	360*330*245
G/W(kg)	10	9
Power(w)	1550	1550
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	140*40	138*37
Waffle Depth(mm)	15	17



MODEL	FY-119-3
Name	Rotating Stick Waffle Maker
Packing Size(mm)	650*540*225
Dimensions(mm)	475*535*200
G/W(kg)	14.4
Power(w)	1600
Voltage(v)	220/110



MODEL	FY-232	FY-622
Name	Lolly Waffle Maker	Churros Waffle Maker
Packing Size(mm)	435*410*305	435*410*305
Dimensions(mm)	390*340*245	390*340*245
G/W(kg)	11.2	10.5
Power(w)	1550	1550
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	155*38	300*22
Waffle Depth(mm)	20	12



MODEL	FY-2208A	FY-2208
Name	Lolly Waffle Maker	Lolly Waffle Maker
Packing Size(mm)	450*350*280	450*350*280
Dimensions(mm)	410*305*240	410*305*240
G/W(kg)	13.5	13.5
Power(w)	1750	1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	225*60*15	225*60*15
Waffle Depth(mm)	30	30



MODEL	FY-2250	FY-2250-2
Name	Lolly Waffle Maker	Double Lolly Waffle Maker
Packing Size(mm)	430*360*290	670*430*290
Dimensions(mm)	310*380*240	620*380*240
G/W(kg)	11.5	20.8
Power(w)	1750	1750+1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	225*55	225*55
Waffle Depth(mm)	40	40



MODEL	FY-2M2H-1 (EGO)	FY-2M2H-A-1 (EGO)
Name	Waffle Maker	Waffle Maker
Packing Size(mm)	570*325*360	570*325*360
Dimensions(mm)	470*250*280	470*250*280
G/W(kg)	14.6	15
Power(w)	2300 (650+1000+650)	1820 (510+800+510)
Voltage(v)	220 (110)	110 (220)



MODEL	FY-2211	FY-2218
Name	Butterfly Shaped Waffle Maker	Hello Kitty Waffle Maker
Packing Size(mm)	450*350*280	450*350*280
Dimensions(mm)	410*305*240	410*305*240
G/W(kg)	10.5	10.6
Power(w)	1750	1750
Voltage(v)	220/110	220/110
Waffle Length(mm)	96	95
Waffle Depth(mm)	16	13



MODEL	FY-315A	FY-315
Name	Walnut Shaped Waffle Maker	Walnut Shaped Waffle Maker
Packing Size(mm)	400*360*230	665*380*230
Dimensions(mm)	305*360*195	615*360*195
G/W(kg)	8.7	16.4
Power(w)	1550	1550+1550
Voltage(v)	220/110	220/110



MODEL	FY-2262
Name	Waffle Fries Maker
Packing Size(mm)	565*410*265
Dimensions(mm)	685*350*180
G/W(kg)	13
Power(w)	1600
Voltage(v)	220/110
Single Waffle Size(mm)	120*8
Waffle Depth(mm)	8



MODEL	FY-1103F.R
Name	Gas Waffle Stick Maker
Packing Size(mm)	495*400*225
Dimensions(mm)	360*480*190
G/W(kg)	13.7
Gas type	Liquefied Petroleum Gas
Gas pressure	2800pa
	LOW PRESSURE AIR RELEASE ONLY



MODEL	FY-1103L	FY-1114
Name	Waffle Stick Maker	Waffle Stick Maker
Packing Size(mm)	455*420*290	455*420*290
Dimensions(mm)	375*375*265	375*375*265
G/W(kg)	12.7	12.7
Power(w)	1400	1400
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	100*40	248*40
Waffle Depth(mm)	20	20



MODEL	FY-12	FY-2247
Name	12 Grid Ball Shaped Waffle Maker	Ball Shaped Waffle Maker
Packing Size(mm)	410*395*305	450*350*280
Dimensions(mm)	360*330*245	410*305*240
G/W(kg)	9.5	15
Power(w)	1550	1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	38*38	41*41
Waffle Depth(mm)	20	14



MODEL	FYX-12B	FY-14
Name	Coffee Bean Waffle Maker	14 Holes Quail Egg Maker
Packing Size(mm)	500*255*220	435*410*305
Dimensions(mm)	485*250*210	390*340*245
G/W(kg)	8	10.5
Power(w)	1200	1550
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	50*35	53*34
Waffle Depth(mm)	15	20



MODEL	FY-27C
Name	Single Donut Maker
Packing Size(mm)	460*370*295
Dimensions(mm)	345*270*245
G/W(kg)	9
Power(w)	1750
Voltage(v)	220/110
Single Waffle Size(mm)	50*50
Waffle Depth(mm)	24

MODEL	FY-002
Name	Donut Maker
Packing Size(mm)	520*300*220
Dimensions(mm)	470*255*180
G/W(kg)	10
Power(w)	1230
Voltage(v)	220/110
Entire Plate Size(mm)	225*220
Single Waffle Size(mm)	85*85
Waffle Depth(mm)	30



MODEL	FYX-5A	FYX-6A
Name	Donut Waffle Maker 5 Holes	Donut Waffle Maker 6 Holes
Packing Size(mm)	410*395*305	410*395*305
Dimensions(mm)	360*330*245	360*330*245
G/W(kg)	8.9	9.5
Power(w)	1550	1550
Voltage(v)	220/110	220/110
Hole Diameter(mm)	73	76
Hole Depth(mm)	14	14



MODEL	FY-27C-2
Name	Double Head Donut Maker
Packing Size(mm)	610*440*285
Dimensions(mm)	560*390*235
G/W(kg)	16
Power(w)	1750+1750
Voltage(v)	220/110
Single Waffle Size(mm)	50*50
Waffle Depth(mm)	20



MODEL	FYX-4A	FYX-12A
Name	Donut Waffle Maker 9 Holes	Donut Waffle Maker 12 Holes
Packing Size(mm)	500*255*220	410*395*305
Dimensions(mm)	485*250*210	360*330*245
G/W(kg)	8	9.5
Power(w)	1200	1550
Voltage(v)	220/110	220/110



MODEL	FY-001	FY-M02	FY-M01-D
Name	Waffle Maker	Waffle maker	Waffle maker
Packing Size(mm)	520*300*220	300*430*255	300*430*255
Dimensions(mm)	470*255*180	245*390*215	245*390*215
G/W(kg)	10	7.1	7.3
Power(w)	1300	1300	1300
Voltage(v)	220/110	220/110	220/110
Entire Plate Size(mm)	225*220		
Single Waffle Size(mm)	180*180	225*55	225*55
Waffle Depth(mm)	32	40	40



MODEL	FY-004	FY-009	FY-005
Name	Hot Dog Waffle Maker	Sandwich Machine	Hot Dog Waffle Maker
Packing Size(mm)	520*300*220	470*230*210	520*300*220
Dimensions(mm)	470*255*180	420*290*180	390*340*245
G/W(kg)	10	4.7	10
Power(w)	1230	800	1230
Voltage(v)	220/110	220/110	220/110
Entire Plate Size(mm)	225*220	225*220	225*220
Single Waffle Size(mm)	180*40	180*40	180*30
Waffle Depth(mm)	15	15	15



MODEL	FY-006	FY-006-2
Name	4 Grid Waffle Maker	Double 4 Grid Waffle Maker
Packing Size(mm)	520*300*220	580*495*250
Dimensions(mm)	470*255*188	530*435*180
G/W(kg)	10	19
Power(w)	1230	1230+1230
Voltage(v)	220/110	220/110
Entire Plate Size(mm)	225*220	225*220
Single Waffle Size(mm)	100*82	100*82
Waffle Depth(mm)	30	30



MODEL	FY-2280X (Cast iron Enamel)	FY-2280X-2 (Cast iron Enamel)
Name	Single Waffle Maker	Double Waffle Maker
Packing Size(mm)	470*360*250	660*470*280
Dimensions(mm)	400*310*230	615*400*230
G/W(kg)	14.8	28.8
Power(w)	1750	1750+1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	220	220
Waffle Depth(mm)	10	10



MODEL	FY-GL02	FY-GL05-D
Name	Rotating Waffle Baker	Rotating Waffle Baker
Packing Size(mm)	505*315*345	505*315*345
Dimensions(mm)	438*285*260	438*285*260
G/W(kg)	15	15
Power(w)	1750	1750
Voltage(v)	220/110	220/110
Plate Diameter(mm)	208	208
Tooth Depth(mm)	20	20



MODEL	FY-2205	FY-T2205
Name	Rotating Waffle Baker	Rotating Waffle Baker
Packing Size(mm)	500*310*350	500*280*350
Dimensions(mm)	490*250*300	485*200*310
G/W(kg)	10.1	9
Power(w)	1300	1300
Voltage(v)	220/110	220/110
Plate Diameter(mm)	180	185
Tooth Depth(mm)	16	16



MODEL	FY-2207	FY-1E
Name	Heart Shaped Waffle Baker	Rotating Waffle Baker
Packing Size(mm)	430*305*295	485*295*315
Dimensions(mm)	390*250*260	420*225*290
G/W(kg)	6.3	6.5
Power(w)	1300	1415
Voltage(v)	220/110	220/110
Plate Diameter(mm)	180	180
Tooth Depth(mm)	8	8



MODEL	FY-2205L
Name	Rotating Waffle Baker
Packing Size(mm)	500*280*350
Dimensions(mm)	380*260*250
G/W(kg)	9
Power(w)	1300
Voltage(v)	220/110
Plate Diameter(mm)	165
Tooth Depth(mm)	16

MODEL	FY-2250-F
Name	Honeycomb Waffle Maker
Packing Size(mm)	470*400*300
Dimensions(mm)	350*430*250
G/W(kg)	14.5
Power(w)	2000
Voltage(v)	220/110
Single Waffle Size(mm)	290*290
Waffle Depth(mm)	22



MODEL	FY-1	FY-2
Name	Single Waffle Maker	Double Waffle Maker
Packing Size(mm)	430*305*295	550*425*282
Dimensions(mm)	390*250*260	500*390*260
G/W(kg)	6.2	14
Power(w)	1300	2600
Voltage(v)	220/110	220/110
Plate Diameter(mm)	180	180
Waffle Depth(mm)	8	8



MODEL	FY-2207B	FY-2207B-2
Name	Heart Shaped Waffle Maker	Double Heart Shaped Waffle Maker
Packing Size(mm)	430*305*295	550*425*282
Dimensions(mm)	390*250*260	500*390*260
G/W(kg)	6.3	14
Power(w)	1300	2600
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	180	180
Waffle Depth(mm)	8	8



MODEL	FY-G30.R	FY-1.R-B
Name	Gas Waffle Maker	Gas Waffle Baker
Packing Size(mm)	530*320*370	450*270*260
Dimensions(mm)	470*260*360	420*220*210
G/W(kg)	6.7	6.5
Gas type	Liquefied Petroleum Gas	LPG
Gas pressure	2800pa	2800pa
Note	LOW PRESSURE AIR RELEASE ONLY	Low Pressure Valve Only.



MODEL	FY-192-G	FY-F26
Name	Stuffed Waffle Maker	Waffle Machine(Interchangeable Plate)
Packing Size(mm)	510*325*360	505*285*360
Dimensions(mm)	250*470*300	255*530*250
G/W(kg)	10.8	12.3
Power(w)	1400	1400
Voltage(v)	220/110	220/110



MODEL	FY-192-E
Name	UFO Burger Machine
Packing Size(mm)	510*325*360
Dimensions(mm)	250*470*300
G/W(kg)	10.8
Power(w)	1300
Voltage(v)	220/110
Inner Circle Diameter(mm)	100



MODEL	FY-192-E-D
Name	Digital UFO Burger Machine
Packing Size(mm)	510*325*360
Dimensions(mm)	250*470*300
G/W(kg)	10.8
Power(w)	1300
Voltage(v)	220/110
Inner Circle Diameter(mm)	100



MODEL	FY-192	FY-192-D
Name	Gelato Panini Press	Rotating Gelato Panini Press
Packing Size(mm)	430*305*335	510*320*360
Dimensions(mm)	470*250*300	470*250*300
G/W(kg)	9	13
Power(w)	1300	1300
Voltage(v)	220/110	220/110
Entire Plate Size(mm)	185	190
Inner Circle Diameter(mm)	110	100



MODEL	FY-010	FY-012
Name	Commercial Pizza Maker	Commercial Pizza Maker
Packing Size(mm)	550*320*119	600*380*190
Dimensions(mm)	490*250*165	570*335*170
G/W(kg)	11.2	18.5
Power(w)	1800	2000
Voltage(v)	220/110	220/110
Single Pizza Diameter(mm)	102	120
Pizza Depth(mm)	25	17



MODEL	FY-2250-E	FY-2273
Name	Electric Waffle Maker	Leaf Waffle Stick Maker
Packing Size(mm)	430*360*290	450*350*280
Dimensions(mm)	310*380*240	410*305*240
G/W(kg)	10.7	11
Power(w)	1750	1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	φ50	55
Single Waffle Width(mm)	24	20



MODEL	FY-2115	FY-1147
Name	Waffle maker	Waffle Ball Maker (12 holes)
Packing Size(mm)	420*660*255	590*435*240
Dimensions(mm)	365*600*215	360*440*185
G/W(kg)	12.9	12
Power(w)	1600	1400
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	118*70*22	φ40



MODEL	FY-2250-C	FY-2250-D
Name	Waffle Ball Maker (25 holes)	Waffle Ball Maker (36 holes)
Packing Size(mm)	510*410*305	560*465*305
Dimensions(mm)	350*440*250	405*500*250
G/W(kg)	18.3	22.5
Power(w)	2000	2000
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	φ50	φ50



MODEL	FY-28D-K
Name	Electric Kue Balok Machine
Packing Size(mm)	560*380*240
Dimensions(mm)	540*280*200
Single Waffle Size(mm)	75*40*25
Power(w)	2000
Voltage(v)	220/110



MODEL	FY-27A	FY-27A-2
Name	Single Waffle Maker	Double Waffle Maker
Packing Size(mm)	460*370*295	610*440*285
Dimensions(mm)	345*270*245	560*390*235
G/W(kg)	8.5	16
Power(w)	1750	1750+1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	90*90	90*90
Waffle Depth(mm)	20	20



MODEL	FY-27B	FY-27B-2
Name	Heart Shaped Waffle Maker	Double Heart Shaped Waffle Maker
Packing Size(mm)	460*370*295	610*440*285
Dimensions(mm)	345*270*245	560*390*235
G/W(kg)	10	19
Power(w)	1750	1750+1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	85*95	85*95
Waffle Depth(mm)	16	16



MODEL	FY-G10	FY-G220
Name	Waffle Maker	Vertical Belgian Waffle Maker
Packing Size(mm)	490*315*325	460*415*300
Dimensions(mm)	254*505*290	390*400*250
G/W(kg)	12.1	12.8
Power(w)	1300	1600
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	81*81	195*80
Waffle Depth(mm)	34	30



MODEL	FY-27F	FY-27F-2
Name	Single Waffle Maker	Double Waffle Maker
Packing Size(mm)	460*370*295	610*440*285
Dimensions(mm)	345*270*245	560*390*235
G/W(kg)	9	16
Power(w)	1750	1750+1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	100*140	110*140
Waffle Depth(mm)	30	30



MODEL	FY-4 (Cast iron Enamel)	FY-2202 (Cast iron Enamel)
Name	Belgium Waffle Baker	Belgium Waffle Baker
Packing Size(mm)	505*350*320	680*470*320
Dimensions(mm)	440*305*225	630*420*225
G/W(kg)	20.5	40
Power(w)	2000	2000+2000
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	170*105	170*105
Waffle Depth(mm)	22	22



MODEL	FY-2210	FY-2210-2
Name	Belgium Waffle Baker	Belgium Waffle Baker
Packing Size(mm)	450*350*280	660*470*320
Dimensions(mm)	410*305*240	595*400*240
G/W(kg)	11	18
Power(w)	2000	2000+2000
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	170*105	170*105
Waffle Depth(mm)	22	22



MODEL	FY-2251	FY-2251-2
Name	Heart Shaped Waffle Baker	Heart Shaped Waffle Baker
Packing Size(mm)	430*360*290	670*430*290
Dimensions(mm)	310*380*240	620*380*240
G/W(kg)	10.6	19.5
Power(w)	1750	1750+1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	115*105	115*105
Waffle Depth(mm)	20	20



MODEL	FY-2280 (Cast iron Enamel)	FY-2280-2 (Cast iron Enamel)
Name	Belgium Waffle Maker	Belgium Double Waffle Maker
Packing Size(mm)	470*360*320	660*470*320
Dimensions(mm)	400*310*260	615*400*260
G/W(kg)	21.5	40.2
Power(w)	1750	1750*1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	180*115	180*115
Waffle Depth(mm)	26	26



MODEL	FY-2280-D (Cast Iron Enamel)	FY-27D-D
Name	Belgium Waffle Maker	Waffle maker
Packing Size(mm)	470*360*320	460*370*295
Dimensions(mm)	400*310*260	345*270*245
G/W(kg)	21.5	8.5
Power(w)	1750	1750
Voltage(v)	220/110	220/110
Entire Plate Size(mm)	180*115	180*115
Single Waffle Size(mm)	26	26



MODEL	FY-10	FY-115
Name	10 Grid Waffle Maker	Belgium Waffle Maker
Packing Size(mm)	435*410*305	435*410*305
Dimensions(mm)	390*340*245	390*340*245
G/W(kg)	10	12
Power(w)	1550	1550
Voltage(v)	220/110	220/110
Entire Plate Size(mm)	315*183	315*183
Single Waffle Size(mm)	82*56*8	77*127*10



MODEL	FY-2201	FY-2260
Name	Rotating Waffle Baker	Waffle Pie Maker
Packing Size(mm)	530*400*220	650*455*255
Dimensions(mm)	515*340*195	610*370*205
G/W(kg)	10.5	12.5
Power(w)	1600	1600
Voltage(v)	220/110	220/110
Entire Plate Size(mm)	200*170	225*225
Single Waffle Size(mm)	100*170*28	180*180*26



MODEL	FY-2201-A	FY-2201-B
Name	Rotating Waffle Baker	Rotating Waffle Baker
Packing Size(mm)	600*380*200	650*410*200
Dimensions(mm)	570*365*195	585*340*210
G/W(kg)	9.7	9.7
Power(w)	2000	1600
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	85*85*30	100*100*30
Tooth Depth(mm)	9*9*12	11*11*12



MODEL	FY-2210A	FY-2210D
Name	Belgium Waffle Maker	Belgium Waffle Maker
Packing Size(mm)	450*350*280	450*350*280
Dimensions(mm)	410*305*240	445*345*240
G/W(kg)	14.5	14.5
Power(w)	2000	2000
Voltage(v)	220/110	220/110
Entire Plate Size(mm)	245*245	103*85
Single Waffle Size(mm)	210*160*13	101*84*13



MODEL	FY-2270	FY-2271
Name	6 Grid Waffle Maker	6 Grid Waffle Maker
Packing Size(mm)	480*360*310	450*350*280
Dimensions(mm)	420*310*260	410*308*240
G/W(kg)	11	11.1
Power(w)	1750	1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	110*70	95*55
Waffle Depth(mm)	22	22



MODEL	FY-1110K-D	FY-1110
Name	Digital Honeycomb Shape Waffle Maker	Honeycomb Waffle Maker
Packing Size(mm)	590*435*240	420*375*270
Dimensions(mm)	370*530*215	375*375*265
G/W(kg)	12	12.6
Power(w)	1400	1400
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	118*70	118*70
Waffle Depth(mm)	22	22



MODEL	FY-2206	FY-2206B
Name	Belgium Waffle Maker	Round Waffle Maker
Packing Size(mm)	450*350*280	450*350*280
Dimensions(mm)	410*305*240	410*305*240
G/W(kg)	12	12
Power(w)	1750	1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	115*115	115*115
Waffle Depth(mm)	8	8



MODEL	FY-29A	FY-29A-D
Name	Ice Cream Cone Baker	Ice Cream Cone Baker
Packing Size(mm)	395*320*305	395*320*305
Dimensions(mm)	345*270*255	345*270*255
G/W(kg)	11.5	11.5
Power(w)	1750	1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	90*90	90*90
Waffle Depth(mm)	28	28



MODEL	FY-2209	FY-2209A
Name	Ice Cream Cone Baker	Ice Cream Cone Baker
Packing Size(mm)	450*350*280	450*350*280
Dimensions(mm)	410*305*240	410*305*240
G/W(kg)	11	12
Power(w)	1750	1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	225*225	225*225
Waffle Depth(mm)	9*9	9*9



MODEL	FY-1A	FY-2A
Name	Ice Cream Cone Baker	Ice Cream Cone Baker
Packing Size(mm)	430*305*295	550*425*282
Dimensions(mm)	390*250*260	500*390*260
G/W(kg)	7.5	15
Power(w)	1300	2600
Voltage(v)	220/110	220/110
Entire Plate Size(mm)	210	210
Grid Size(mm)	9*9	9*9



MODEL	FY-27E	FY-27E-2
Name	Ice Cream Cone Baker	Ice Cream Cone Baker
Packing Size(mm)	460*370*295	610*440*285
Dimensions(mm)	345*270*245	560*390*235
G/W(kg)	10	14.5
Power(w)	1750	1750+1750
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	225*225	225*225
Grid Size(mm)	9*9	9*9



MODEL	FY-2245-S
Name	Heart Shape Mini Pancake Machine
Packing Size(mm)	410*350*200
Dimensions(mm)	310*340*165
G/W(kg)	6.3
Power(w)	850
Voltage(v)	220/110
Diameter Of Hole(mm)	42
Depth Of Hole(mm)	9
Temperature Range(°C)	0~300



MODEL	FY-2242A
Name	Mini Pancake Machine 50 Holes
Packing Size(mm)	660*470*320
Dimensions(mm)	595*400*240
G/W(kg)	20.1
Power(w)	1750+1750
Voltage(v)	220/110
Diameter Of Hole(mm)	45
Depth Of Hole(mm)	10
Temperature Range(°C)	0~300



MODEL	FY-2240	FY-2242
Name	Mini Pancake Machine 25 Holes	Mini Pancake Machine 50 Holes
Packing Size(mm)	410*350*220	655*410*220
Dimensions(mm)	375*300*170	550*375*170
G/W(kg)	8.7	12.2
Power(w)	850	1700
Voltage(v)	220/110	220/110
Diameter Of Hole(mm)	42	42
Depth Of Hole(mm)	9	9
Temperature Range(°C)	0~300	0~300



MODEL	FY-2250-B	FY-2240A
Name	Heart Shape Mini Pancake Machine	Mini Pancake Machine 25 Holes
Packing Size(mm)	430*360*290	450*350*280
Dimensions(mm)	310*380*240	410*305*240
G/W(kg)	11.5	10.8
Power(w)	1750	1750
Voltage(v)	220/110	220/110
Diameter Of Hole(mm)	40	45
Depth Of Hole(mm)	10	10
Temperature Range(°C)	0~300	0~300



MODEL	FY-2243.R
Name	Gas Mini Pancake Machine 100 Holes
Packing Size(mm)	650*600*275
Dimensions(mm)	580*550*230
G/W(kg)	10.8
Diameter Of Hole(mm)	42
Depth Of Hole(mm)	9
Gas Type	LPG
Gas Pressure(Pa)	2800
Note	Low Pressure Valve Only.



MODEL	FY-LB350-A
Name	Mini Pancake Machine 35 Holes
Packing Size(mm)	420*420*155
Dimensions(mm)	360*350*135
G/W(kg)	9.2
Power(w)	2000
Voltage(v)	220/110
Diameter Of Hole(mm)	45
Depth Of Hole(mm)	10
Temperature Range(°C)	0~300



MODEL	FY-2243	FY-2241
Name	Mini Pancake Machine 100 Holes	Mini Pancake Machine 100 Holes
Packing Size(mm)	670*670*220	655*410*220
Dimensions(mm)	550*600*180	620*375*170
G/W(kg)	18.2	12.2
Power(w)	3000	1700
Voltage(v)	220/110	220/110
Diameter Of Hole(mm)	42	42
Depth Of Hole(mm)	9	9
Temperature Range(°C)	0~300	0~300



MODEL	FY-GL03	FY-GL03-2
Name	Electric Mini Pancake Maker	Electric Mini Pancake Maker
Packing Size(mm)	485*395*240	770*485*240
Dimensions(mm)	420*345*190	720*420*190
G/W(kg)	10.6	20.4
Power(w)	1000	2000
Voltage(v)	220/100	220/100
Diameter Of Hole(mm)	48	48
Depth Of Hole(mm)	16	16
Temperature Range(°C)	0~300	0~300



MODEL	FY-2245	FY-2246
Name	Heart Shape Mini Pancake Machine	Double Heart Shape Mini Pancake Maker
Packing Size(mm)	410*350*220	655*410*220
Dimensions(mm)	375*300*170	620*375*170
G/W(kg)	8.7	12
Power(w)	850	1800
Voltage(v)	220/110	220/110
Single Waffle Size(mm)	41*41	41*41
Temperature Range(°C)	0~300	0~300



MODEL	FY-2240.R	FY-2241.R
Name	Gas Mini Pancake Machine 25 Holes	Gas Mini Pancake Machine 50 Holes
Packing Size(mm)	420*350*250	630*420*250
Dimensions(mm)	340*305*230	580*340*230
G/W(kg)	6.8	10.8
Diameter Of Hole(mm)	42	42
Depth Of Hole(mm)	9	9
Gas Type	LPG	LPG
Gas Pressure(Pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	FY-2245.R	FY-2246.R
Name	Heart Pancake Machine 25 Holes	50 Holes Heart Pancake Machine
Packing Size(mm)	420*350*250	630*420*250
Dimensions(mm)	340*305*230	580*340*230
G/W(kg)	6.8	10.8
Diameter Of Hole(mm)	42	42
Depth Of Hole(mm)	9	9
Gas Type	LPG	LPG
Gas Pressure(Pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



FC-01-A



FC-01-B



FC-01-E

MODEL	FC-01AB
Name	Electric Taiyaki Maker
Packing Size(mm)	550*435*320
Dimensions(mm)	480*365*350
G/W(kg)	12
Power(w)	3000
Voltage(v)	220/110
Single Taiyaki Size(mm)	128*78*8





MODEL	FY-DY01-D
Name	Electric Taiyaki Maker
Packing Size(mm)	630*415*220
Dimensions(mm)	745*363*320
G/W(kg)	18.7
Power(w)	2400
Voltage(v)	220/110
Entire Plate Size(mm)	345*440
Single Taiyaki Size(mm)	123*90*46



MODEL	FY-DY01-1
Name	Electric Taiyaki Maker
Packing Size(mm)	630*415*220
Dimensions(mm)	745*363*320
G/W(kg)	20.3
Power(w)	2400
Voltage(v)	220/110
Entire Plate Size(mm)	345*440
Single Taiyaki Size(mm)	123*90*46



MODEL	FY-DY01-2	FY-1103B
Name	Paletas Waffle Maker	Electric Taiyaki Maker
Packing Size(mm)	630*415*220	490*480*335
Dimensions(mm)	745*363*320	440*425*285
G/W(kg)	20.5	20.3
Power(w)	2400	2000
Voltage(v)	220/110	220/110
Single Taiyaki Size(mm)		150*90*30



MODEL	FY-1101C	FY-1102C
Name	Taiyaki Maker	Taiyaki Maker
Packing Size(mm)	630*420*285	750*665*285
Dimensions(mm)	585*375*265	690*600*275
G/W(kg)	22.2	39.7
Power(w)	3000	3000+3000
Voltage(v)	220/110	220/110
Single Taiyaki Size(mm)	75*130*20	75*130*20



MODEL	FC-01-C	FY-02AB
Name	Electric Taiyaki Maker	Digital Taiyaki Maker-Double Plates(5+4 fishes)
Packing Size(mm)	550*435*320	745*550*300
Dimensions(mm)	480*365*350	690*470*270
G/W(kg)	12	32.5
Power(w)	3000	6000
Voltage(v)	220/110	220/110
Single Taiyaki Size(mm)	128*78*8	128*78*8/130*80*20



MODEL	FY-1103B.R	FY-1103.R
Name	Gas Taiyaki Maker	Taiyaki Maker
Packing Size(mm)	555*475*250	495*400*225
Dimensions(mm)	505*425*220	470*360*225
G/W(kg)	15.2	8
Single Taiyaki Size(mm)	150*90*20	128*78*8
Gas Type	LPG	LPG
Gas Pressure(Pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	FY-112	FY-1107
Name	Korean Taiyaki Maker	Electric Taiyaki Maker
Packing Size(mm)	435*410*305	440*400*280
Dimensions(mm)	390*340*245	380*350*230
G/W(kg)	10.5	11.6
Power(w)	1550	1600
Voltage(v)	220/110	220/110
Single Taiyaki Size(mm)	90*70*15	100*190*30



MODEL	FC-1108-D	FY-1101A
Name	Cheese Coin Bread Make	Electric Taiyaki Maker
Packing Size(mm)	520*435*230	620*425*265
Dimensions(mm)	380*540*255	585*375*265
G/W(kg)	16	12
Power(w)	3000	3000
Voltage(v)	220/110	220/110
Single Taiyaki Size(mm)	110*110*10	128*78*8



MODEL	FY-2110	FY-2111
Name	Bear Waffle Cone Maker(2pcs)	Taiyaki Maker
Packing Size(mm)	520*435*230	520*435*230
Dimensions(mm)	550*370*210	370*380*205
G/W(kg)	11	11
Power(w)	1600	1600
Voltage(v)	220/110	220/110
Single Taiyaki Size(mm)	120*110*35	



MODEL	FY-1103K	FY-1103K-D
Name	Mini Fish Waffle Maker(14 pcs)	Digital Mini Fish Waffle Maker(14pcs)
Packing Size(mm)	590*435*240	590*435*240
Dimensions(mm)	370*530*220	370*530*220
G/W(kg)	11.8	11.8
Power(W)	1400	1400
Voltage(V)	220/110	220/110
Single Taiyaki Size(mm)	55*35*30	55*35*30



MODEL	FC-001	FC-1108
Name	Penis Waffle Maker	Penis Waffle Maker
Packing Size(mm)	435*410*305	520*630*310
Dimensions(mm)	380*345*270	455*585*255
G/W(kg)	12	18.5
Power(w)	1600	3000
Voltage(v)	220/110	220/110



MODEL	FC-1105	FC-01-H
Name	Vaginal Waffle Maker	Vaginal Waffle Maker
Packing Size(mm)	430*630*320	420*540*290
Dimensions(mm)	380*520*260	370*480*260
G/W(kg)	15	16.8
Power(w)	3000	3000
Voltage(v)	220/110	220/110



MODEL	FY-56	FY-56
Name	Electric Takoyaki Maker(2 Plates)	Electric Takoyaki Maker(2 Plates)
Packing Size(mm)	600*550*240	440*400*280
Dimensions(mm)	470*510*180	380*350*230
G/W(kg)	12.4	11.6
Power(w)	4000	1600
Voltage(v)	220	220/110
Circle Diameter(mm)	40	
Circle Depth(mm)	25	



MODEL	FY-35D	FY-3
Name	Quail Egg Grill	Electric Takoyaki Maker
Packing Size(mm)	380*360*210	750*570*230
Dimensions(mm)	375*312*170	675*510*180
G/W(kg)	6.5	19
Power(w)	1500	6000
Voltage(v)	220/110	220/110
Circle Diameter(mm)	33	40
Circle Depth(mm)	16	25



MODEL	FY-28D	FY-LB350-B
Name	Electric Takoyaki Maker(1 Plates)	Electric Takoyaki Maker(35 Holes)
Packing Size(mm)	540*340*210	420*420*165
Dimensions(mm)	540*280*200	360*350*145
G/W(kg)	6.93	10.2
Power(v)	2000	2000
Voltage(v)	220/110	220/110
Circle Diameter(mm)	40	46
Circle Depth(mm)	25	24
Temperature(°C)	0-300	0-300



MODEL	FY-3.R	FY-56.R	FY-40.R
Name	Gas Takoyaki Maker	Gas Takoyaki Maker	Gas Quail Egg Grill
Packing Size(mm)	750*570*230	600*550*240	380*360*210
Dimensions(mm)	675*510*180	510*470*180	375*312*170
G/W(kg)	19	15.5	5.7
Circle Diameter(mm)	40	40	40
Circle Depth(mm)	25	25	25
Gas Type	LPG	LPG	LPG
Gas Pressure(Pa)	2800	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	FY-B62+410Y
Name	Crepe Maker With Serving Station
Packing Size(mm)	900*650*240+450*450*190
Dimensions(mm)	850*600*420+400*400*125
G/W(kg)	24+17
Power(w)	2200
Voltage(v)	220/110



MODEL	FYA-1	FYA-2
Name	Electric Crepe Maker	Electric Crepe Maker
Packing Size(mm)	530*500*260	940*530*260
Dimensions(mm)	485*450*220	860*500*220
G/W(kg)	16.3	32
Power(w)	3000	6000
Voltage(v)	220/110	220/110
Circle Diameter(mm)	400	400
Edge Thickness(mm)	20	20



MODEL	FY-LB300	FY-LB400
Name	Electric Crepe Maker	Electric Crepe Maker
Packing Size(mm)	370*370*150	565*565*150
Dimensions(mm)	330*330*130	525*525*130
G/W(kg)	6.5	6.5
Power(w)	2000	2600
Voltage(v)	220/110	220/110
Entire Plate Size(mm)	400*18	400*18



MODEL	FYA-1.R	FYA-2.R
Name	Gas Crepe Maker(1 Plate)	Gas Crepe Maker(2 Plate)
Packing Size(mm)	530*500*260	940*530*260
Dimensions(mm)	485*450*220	860*500*220
G/W(kg)	16.3	34
Entire Plate Size(mm)	400*20	400*20
Gas Type	LPG	LPG
Gas Pressure(pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	HRD040
Name	Crepe Maker
Packing Size(mm)	530*575*240
Dimensions(mm)	480*530*195
G/W(kg)	28
Power(w)	3000
Volts(v)	220/110
Temperature range(°C)	0-300
Waffle Size(mm)	400



MODEL	FY-420.R
Name	Gas Crepe Maker
Packing Size(mm)	450*450*220
Dimensions(mm)	400*400*160
G/W(kg)	16
Entire Plate Size(mm)	400*16
Gas Type	LPG
Gas Pressure(pa)	2800
Note	Low Pressure Valve Only.



MODEL	FY-410	FY-410B (Cast iron Enamel)
Name	Crepe Maker	Crepe Maker
Packing Size(mm)	450*450*220	450*450*220
Dimensions(mm)	400*400*160	425*425*170
G/W(kg)	16	14.9
Power(w)	2200	3000
Voltage(v)	220/110	220/110
Circle Diameter(mm)	400	400
Edge Thickness(mm)	16	16



MODEL	FY-410Y	FY-440
Name	Crepe Maker	Crepe Maker
Packing Size(mm)	450*450*190	500*550*205
Dimensions(mm)	400*400*125	450*500*155
G/W(kg)	17	14.3
Power(w)	2000	3000
Voltage(v)	220/110	220/110



MODEL	FY-YT-4-A (Copper)	FY-YT-4-B
Name	Round Souffle Machine	Crepe Maker
Packing Size(mm)	530*530*245	530*530*245
Dimensions(mm)	460*440*165	470*440*175
G/W(kg)	17.5	17.5
Power(w)	3000	3000
Voltage(v)	220/110	220/110
Circle Diameter(mm)	400	400
Edge Thickness(mm)	10	16



MODEL	FY-40B-5
Name	Crepe Maker
Packing Size(mm)	450*450*160
Dimensions(mm)	400*400*125
G/W(kg)	17
Power(w)	3000
Voltage(v)	220/110
Plate Size(mm)	400



MODEL	FY-H30	FY-H40
Name	Crepe Maker	Crepe Maker
Packing Size(mm)	530*390*260	630*490*260
Dimensions(mm)	570*330*205	670*430*205
G/W(kg)	13.5	21.3
Power(w)	2000	2400
Voltage(v)	220/110	220/110
Plate Size(mm)	300	400



MODEL	FY-37	FY-37-D
Name	Crepe maker	Crepe Maker
Packing Size(mm)	435*455*165	435*455*165
Dimensions(mm)	380*400*130	380*400*130
G/W(kg)	19.3	19.3
Power(w)	3000	3000
Voltage(v)	220/110	220/110
Plate Size(mm)	370	370



MODEL	FY-410K	FY-410K-D
Name	Crepe maker	Crepe Maker
Packing Size(mm)	560*560*185	560*560*185
Dimensions(mm)	495*470*125	495*470*125
G/W(kg)	18.2	18.2
Power(w)	3000	3000
Voltage(v)	220/110	220/110
Plate Size(mm)	400	400



MODEL	FY-HB06	FY-HB09
Name	Electric Burger Maker	Electric Burger Maker
Packing Size(mm)	410*410*200	410*320*200
Dimensions(mm)	395*360*180	395*260*180
G/W(kg)	5.2	5.8
Power	2500	2500
Voltage(v)	220/110	220/110
Hole Diameter(mm)	110	79
Hole Depth(mm)	15	20



MODEL	FY-HB06.R	FY-HB09.R
Name	Gas Burger Maker	Gas Burger Maker
Packing Size(mm)	410*410*200	410*320*200
Dimensions(mm)	395*360*180	395*260*180
G/W(kg)	5.2	5.1
Gas	LPG	LPG
Gas Pressure(Pa)	2800	2800
Hole Diameter(mm)	110	79
Hole Depth(mm)	15	20
Note	Low Pressure Valve Only	Low Pressure Valve Only



MODEL	FY-YT-7	FY-YT-15
Name	Telur Burger Maker Holes 7	Telur Burger Maker Holes 15
Packing Size(mm)	530*530*245	530*530*245
Dimensions(mm)	470*440*180	470*440*180
G/W(kg)	11	11
Power(w)	3000	3000
Voltage(v)	220/110	220/110
Hole Diameter(mm)	105	75
Hole Depth(mm)	16	16



MODEL	FY-2232A.R	FY-2232.R
Name	32-Holes Gas Obanyaki Maker	32-Holes Gas Obanyaki Maker
Packing Size(mm)	780*510*290	780*510*290
Dimensions(mm)	725*425*205	725*450*205
G/W(kg)	18	18
Circle Diameter(mm)	68	68
Round Depth(mm)	23	23
Gas Type	LPG	LPG
Gas Pressure(Pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	FY-9
Name	Obanyaki Maker
Packing Size(mm)	510*405*260
Dimensions(mm)	470*350*190
G/W(kg)	9
Power(w)	2500
Voltage(v)	220/110
Circle Diameter(mm)	68
Round Depth(mm)	23



MODEL	FY-2233A.R
Name	Obanyaki Maker(Aluminum Plate)
Packing Size(mm)	510*465*290
Dimensions(mm)	490*420*200
G/W(kg)	11
Circle Diameter(mm)	68
Round Depth(mm)	15
Gas Type	LPG
Gas Pressure(Pa)	2800
Note	Low Pressure Valve Only.



MODEL	FY-2233A	FY-2233B
Name	Obanyaki Maker(Aluminum Plate)	Obanyaki Maker(Pattern Plate)
Packing Size(mm)	510*465*290	510*465*290
Dimensions(mm)	490*420*200	490*420*200
G/W(kg)	11	9.7
Power(w)	3000	3000
Voltage(v)	220/110	220/110
Circle Diameter(mm)	68	68
Round Depth(mm)	15	23



MODEL	FY-2232	FY-2232A
Name	32-Holes Electric Obanyaki Maker	32-Holes Electric Obanyaki Maker
Packing Size(mm)	780*510*290	780*510*290
Dimensions(mm)	725*450*205	725*425*205
G/W(kg)	18	18
Power(w)	6000	6000
Voltage(v)	220	220/110
Circle Diameter(mm)	68	68
Round Depth(mm)	23	15



MODEL	FY-K02
Name	Roast Sausage Machine
Packing Size(mm)	550*360*380
Dimensions(mm)	505*310*100
G/W(kg)	10.8
Power(w)	538
Voltage(v)	220/110



MODEL	FY-K03	FY-K04
Name	Roast Sausage Machine	Roast Sausage Machine
Packing Size(mm)	360*310*160	360*305*400
Dimensions(mm)	310*260*100	310*260*100
G/W(kg)	4.9	6.5
Power(w)	141	350
Voltage(v)	220/110	220/110



MODEL	YH-K03-A	YH-K02-A
Name	Hot Dog Warmer	Hot Dog Warmer
Packing Size(mm)	360*340*365	415*405*380
Dimensions(mm)	335*300*315	410*345*315
G/W(kg)	5.3	6.7
Power(w)	188	444
Voltage(v)	220/110	220/110



MODEL	FY-09	FY-011
Name	Hot Dog Rolling Machine	Hot Dog Rolling Machine
Packing Size(mm)	600*480*220	600*530*200
Dimensions(mm)	560*460*200	560*530*200
G/W(kg)	11.2	12.5
Power(w)	1800	2200
Voltage(v)	220/110	220/110



MODEL	FY-08-P (EGO)
Name	Hot Dog Roller and Warmer
Packing Size(mm)	650*580*230
Dimensions(mm)	530*590*190
G/W(kg)	12
Power(w)	2170
Voltage(v)	220/110



MODEL	FY-014B (EGO)
Name	Hot Dog Rolling Machine
Packing Size(mm)	650*580*230
Dimensions(mm)	530*590*190
G/W(kg)	11
Power(w)	2170
Voltage(v)	220/110



MODEL	FY-06B	FY-08B
Name	Hot Dog Rolling Machine	Hot Dog Rolling Machine
Packing Size(mm)	575*360*200	575*420*200
Dimensions(mm)	525*330*165	525*385*165
G/W(kg)	9.4	11.5
Power(w)	930	1240
Voltage(v)	220/110	220/110



MODEL	FY-012B-D	FY-012C-D
Name	Digital hot dog machine	Digital hot dog machine
Packing Size(mm)	640*555*245	650*555*300
Dimensions(mm)	575*495*190	575*495*245
G/W(kg)	11	16
Power(w)	1860/1260	1860/1260
Voltage(v)	220/110	220/110



MODEL	FY-ZD01
Name	Egg Boiler
Packing Size(mm)	380*320*300
Dimensions(mm)	205*205*250
G/W(kg)	4.7
Power(w)	800
Voltage(v)	220/110



MODEL	YH-00
Name	Egg Boiler
Packing Size(mm)	385*385*330
Dimensions(mm)	380*295*360
G/W(kg)	7.3
Power(w)	2600
Voltage(v)	220/110



MODEL	YH-01	YH-02
Name	Automatic Electric Egg Boiler	Automatic Electric Egg Boiler
Packing Size(mm)	410*340*340	450*430*350
Dimensions(mm)	380*295*300	405*385*300
G/W(kg)	7.3	8.4
Power(w)	2600	2000
Voltage(v)	220/110	220/110



MODEL	FC-S01	FY-916
Name	Egg Boiler	Egg Boiler
Packing Size(mm)	430*240*340	415*250*330
Dimensions(mm)	190*410*290	375*220*290
G/W(kg)	4.8	6.2
Power(w)	800	2200
Voltage(v)	220/110	220/110



MODEL	FY-4M-B	FY-4M
Name	Electric Desktop Pasta Cooker(4 Grid)	Electric Desktop Pasta Cooker(4 Grid)
Packing Size(mm)	600*465*280	600*470*360
Dimensions(mm)	600*415*265	580*420*340
G/W(kg)	12	13.5
Power(w)	4000	4000
Voltage(v)	220	220



MODEL	FY-4HX.R-2	FY-6M.R
Name	Gas Pasta Cooker With Bain Marie	Gas Desktop Pasta Cooker(6 Grid)
Packing Size(mm)	740*720*860	605*620*435
Dimensions(mm)	730*705*900	600*555*435
G/W(kg)	30.4	15
Gas Type	LPG	LPG
Gas Pressure(Pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	FY-6M-B	FY-6HX-2
Name	Simple Electric Desktop Pasta Cooker	Electric Pasta Cooker With Bain Marie
Packing Size(mm)	650*550*280	920*760*860
Dimensions(mm)	590*580*265	910*730*900
G/W(kg)	15.5	30
Power(w)	6000	8000
Voltage(v)	220	220



MODEL	FY-6HX.R	FY-6HX.R-2
Name	Gas Pasta Cooker(6 Grid)	Gas Pasta Cooker With Bain Marie
Packing Size(mm)	920*760*900	920*760*900
Dimensions(mm)	705*600*860	910*730*860
G/W(kg)	35	38
Gas Type	LPG	LPG
Gas Pressure(Pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	HRC004	HRC006
Name	Electric Pasta Cooker(4 Grid)	Electric Pasta Cooker(6 Grid)
Packing Size(mm)	565*475*360	660*565*360
Dimensions(mm)	425*540*510	605*540*510
G/W(kg)	12.6	17
Power(w)	4000	6000
Voltage(v)	220	220



MODEL	FY-BO-1D	FY-BO-2D
Name	Single Pan Bain Marie	Bain Marie With Double Pans
Packing Size(mm)	305*255*360	460*305*360
Dimensions(mm)	240*110*310	415*240*310
G/W(kg)	4.9	8.1
Power(w)	150	300
Voltage(v)	220/110	220/110



MODEL	FY-BO-4L	FY-BO-4L-2
Name	Single Pan Bain Marie	Bain Marie With Double Pans
Packing Size(mm)	370*300*330	535*370*330
Dimensions(mm)	325*250*310	485*325*310
G/W(kg)	6.5	9.7
Power(w)	300	600
Voltage(v)	220/110	220/110



MODEL	FY-BO-3D	FY-BO-4D
Name	Bain Marie With Three Pans	Bain Marie With Four Pans
Packing Size(mm)	670*305*360	510*460*360
Dimensions(mm)	620*240*310	450*465*340
G/W(kg)	11.2	13.1
Power(w)	450	600
Voltage(v)	220/110	220/110



MODEL	FY-3A
Name	Electric Bain Marie
Packing Size(mm)	1025*440*220
Dimensions(mm)	980*350*370
G/W(kg)	11
Power(w)	1500
Voltage(v)	220/110
Basin Size(mm)	1/2*100*0.7



MODEL	FY-5A
Name	Electric Bain Marie
Packing Size(mm)	1525*440*220
Dimensions(mm)	1512*350*370
G/W(kg)	15
Power(w)	1800
Voltage(v)	220/110
Basin Size(mm)	1/2*100*0.7



MODEL	FY-4A
Name	Electric Bain Marie
Packing Size(mm)	1285*440*220
Dimensions(mm)	1245*350*370
G/W(kg)	13
Power(w)	1500
Voltage(v)	220/110
Basin Size(mm)	1/2*100*0.7



MODEL	FY-4V	FY-4V-A
Name	Electric Bain Marie	Electric Bain Marie
Packing Size(mm)	740*660*250	710*660*290
Dimensions(mm)	690*630*235	695*640*270
G/W(kg)	15	1.8.5
Power(w)	1500	1500
Voltage(v)	220/110	220/110
Basin Size(mm)	1/2*150*0.7	1/2*150*0.7





MODEL	FY-201
Name	Oden(1 Tank With 16 Grids)
Packing Size(mm)	520*430*310
Dimensions(mm)	485*395*300
G/W(kg)	14
Power(w)	1300
Voltage(v)	220/110



MODEL	FY-15A
Name	Oden
Packing Size(mm)	460*360*300
Dimensions(mm)	400*340*295
G/W(kg)	7
Power(w)	1300
Voltage(v)	220/110



MODEL	FY-201-H	FY-201-2H
Name	Oden	Oden
Packing Size(mm)	520*380*360	520*380*360
Dimensions(mm)	460*320*335	460*320*335
G/W(kg)	12.7	12.7
Power(w)	1300	1300
Voltage(v)	220/110	220/110



MODEL	FY-202A
Name	Oden
Packing Size(mm)	600*530*360
Dimensions(mm)	550*485*295
G/W(kg)	18.9
Power(w)	3000
Voltage(v)	220/110





MODEL	HRF04	HRF06
Name	Bain Marie	Bain Marie
Packing Size(mm)	720*640*280	720*640*280
Dimensions(mm)	675*630*250	675*630*250
G/W(kg)	11.5	19.4
Power(w)	2600	2600
Voltage(v)	220/110	220/110
Temperature range(°C)	0-110	0-110



MODEL	FY-32A	FY-33A
Name	Chocolate Melting Machine	Chocolate Melting Machine
Packing Size(mm)	365*510*245	365*690*250
Dimensions(mm)	340*450*220	340*670*220
G/W(kg)	6.7	8.5
Power(w)	250	250
Voltage(v)	220/110	220/110
Temperature range(°C)	0-110	0-110



MODEL	HRF03	FY-62A
Name	Bain Marie	Chocolate Melting Machine
Packing Size(mm)	640*390*280	235*480*245
Dimensions(mm)	340*630*250	185*460*220
G/W(kg)	11.5	5.1
Power(w)	1200	150
Voltage(v)	220/110	220/110
Temperature range(°C)	0-110	0-110



MODEL	FY-32B	FY-33B
Name	Chocolate Melting Machine	Chocolate Melting Machine
Packing Size(mm)	400*465*290	400*650*290
Dimensions(mm)	350*470*265	350*655*265
G/W(kg)	13.1	9.2
Power(w)	600	600
Voltage(v)	220/110	220/110
Temperature range(°C)	0-110	0-110



MODEL	YH-ACMM-1
Name	Chocolate Melting Machine
Packing Size(mm)	385*330*330
Dimensions(mm)	345*285*295
G/W(kg)	13
Power(w)	250
Voltage(v)	220/110
Basin Size(mm)	1/2*150*1



MODEL	YH-ACMM-2
Name	Chocolate Melting Machine
Packing Size(mm)	385*330*330
Dimensions(mm)	345*285*295
G/W(kg)	13
Power(w)	250
Voltage(v)	220/110
Basin Size(mm)	1/4*150*2



MODEL	FY-3V-B	FY-QK-480
Name	Electric Chocolate Melter	Chocolate Melting Machine
Packing Size(mm)	370*360*310	680*390*280
Dimensions(mm)	335*320*275	640*350*260
G/W(kg)	6.5	8.5
Power(w)	1000	250
Voltage(v)	220/110	220/110
Basin Size(mm)	1/9*150*0.7*3	1/2*150*0.7*2



MODEL	FY-QK-620	FY-QK-620M
Name	Chocolate Melting Machine	Chocolate Melting Machine
Packing Size(mm)	490*340*275	490*340*275
Dimensions(mm)	450*300*255	450*300*255
G/W(kg)	6.3	6.5
Power(w)	250	250
Voltage(v)	220/110	220/110
Basin Size(mm)	1/2*150*0.7*1	1/4*150*0.7*2



MODEL	FC-Z2 (1 Tank)	FC-Z2 (2 Tank)
Name	Chocolate Melting Machine (Wet Heating)	Chocolate Melting Machine (Wet Heating)
Packing Size(mm)	415*355*315	415*355*315
Dimensions(mm)	290*350*270	290*350*270
Power(w)	800	800
Voltage(V)	220/110	220/110
Capacity	9L	4.5L+4.5L



MODEL	FC-Z4 (4 Tank)	FC-Z4 (4 Tank)
Name	Chocolate Melting Machine (Wet Heating)	Chocolate Melting Machine (Wet Heating)
Packing Size(mm)	435*420*315	435*420*315
Dimensions(mm)	390*350*270	390*350*270
Power(w)	800	800
Voltage(V)	220/110	220/110
Capacity	2.5L*4	6L+1.5L+1.5L+1.5L



MODEL	FC-Z4 (2 Tank)	FC-Z4 (3 Tank)
Name	Chocolate Melting Machine (Wet Heating)	Chocolate Melting Machine (Wet Heating)
Packing Size(mm)	435*420*315	435*420*315
Dimensions(mm)	390*350*270	390*350*270
Power(w)	800	800
Voltage(V)	220/110	220/110
Capacity	6L+6L	6L+2.5L+2.5L



MODEL	FC-Z4 (5 Tank)	FC-Z4 (6 Tank)
Name	Chocolate Melting Machine (Wet Heating)	Chocolate Melting Machine (Wet Heating)
Packing Size(mm)	435*420*315	435*420*315
Dimensions(mm)	390*350*270	390*350*270
Power(w)	800	800
Voltage(V)	220/110	220/110
Capacity	2.5L*2+1.5L*3	1.5L*6



MODEL	FC-Z3 (1 Tank)	FC-Z3 (2 Tank)
Name	Chocolate Melting Machine (Wet Heating)	Chocolate Melting Machine (Wet Heating)
Packing Size(mm)	620*415*315	620*415*315
Dimensions(mm)	580*380*270	580*380*270
Power(w)	1500	1500
Voltage(V)	220/100	220/110
Capacity	18L	9L+9L



MODEL	FC-Z3 (5 Tank)	FC-Z3 (6 Tank)
Name	Chocolate Melting Machine (Wet Heating)	Chocolate Melting Machine (Wet Heating)
Packing Size(mm)	620*415*315	620*415*315
Dimensions(mm)	580*380*270	580*380*270
Power(w)	1500	1500
Voltage(V)	220/100	220/110
Capacity	6L+2.5L*4	2.5L*6



MODEL	FC-Z3 (3 Tank)	FC-Z3 (4 Tank)
Name	Chocolate Melting Machine (Wet Heating)	Chocolate Melting Machine (Wet Heating)
Packing Size(mm)	620*415*315	620*415*315
Dimensions(mm)	580*380*270	580*380*270
Power(w)	1500	1500
Voltage(V)	220/100	220/110
Capacity	6L*3	4.5L*4



MODEL	FC-Z3 (7 Tank)	FC-Z3 (9 Tank)
Name	Chocolate Melting Machine (Wet Heating)	Chocolate Melting Machine (Wet Heating)
Packing Size(mm)	620*415*315	620*415*315
Dimensions(mm)	580*380*270	580*380*270
Power(w)	1500	1500
Voltage(V)	220/100	220/110
Capacity	6L+1.5L*6	1.5L*9



MODEL	C2002-1	C2002-2	C2002-3
Name	Chocolate Melting Machine(Wet Heating)	Chocolate Melting Machine(Wet Heating)	Chocolate Melting Machine(Wet Heating)
Packing Size(mm)	550*430*260	550*430*260	720*430*260
Dimensions(mm)	490*360*180	490*360*180	650*360*180
Power(w)	1500	1500	1500
Voltage(V)	220/100	220/110	220/100
Capacity	7.5L	3.5L+3.5L	3.5L*3



MODEL	C2002-4	C2002-5	C2002-6
Name	Chocolate Melting Machine(Wet Heating)	Chocolate Melting Machine(Wet Heating)	Chocolate Melting Machine(Wet Heating)
Packing Size(mm)	550*430*260	720*430*260	720*430*260
Dimensions(mm)	490*360*180	650*360*180	650*360*180
Power(w)	1500	1500	1500
Voltage(V)	220/110	220/100	220/110
Capacity	1.5L*4	3.5L+1.5L*4	1.5L*6



MODEL	FC-818	FC-828
Name	Popcorn Machine	Popcorn Machine
Packing Size(mm)	555*405*630	600*455*715
Dimensions(mm)	500*360*600	540*410*660
G/W(kg)	16	16.5
Power(w)	1250	1250
Voltage(v)	220/110	220/110



MODEL	FC-828B	FC-838 (gas)
Name	Popcorn Machine	Popcorn Machine
Packing Size(mm)	555*405*630	350*400*400
Dimensions(mm)	500*360*675	300*370*370
G/W(kg)	18.5	8.5
Power(w)	1250	
Voltage(v)	220/110	



MODEL	CF-2303
Name	Chocolate Fountain Machine
Packing Size(mm)	370*270*360
Dimensions(mm)	230*230*550
G/W(kg)	4
Power(w)	25
Voltage(v)	220/110



MODEL	CF 3305	CF 3806
Name	Chocolate Fountain Machine(5 layers)	Chocolate Fountain Machine(6 layers)
Packing Size(mm)	390*390*720	700*600*300
Dimensions(mm)	330*330*680	380*380*820
G/W(kg)	11	13
Power(w)	250	250
Voltage(v)	220/110	220/110



MODEL	CF 2804	CF4387
Name	Chocolate Fountain Machine(4 layers)	Chocolate fountain machine
Packing Size(mm)	320*320*630	438*438*1050
Dimensions(mm)	280*280*560	790*670*320
G/W(kg)	10	17
Power(w)	250	40
Voltage(v)	220/110	220/110



MODEL	FC-801 (Double cup)	GL-801	GL-801-2
Name	Single Milkshake Machine	Single Milkshake Machine	Double Milkshake Machine
Packing Size(mm)	240*240*560	240*240*560	400*370*700
Dimensions(mm)	190*160*530	190*160*530	230*230*520
G/W(kg)	6.8	6.8	10
Power(w)	180	180	360
Voltage(v)	220/110	220/110	220/110



MODEL	FY-Q7-A
Name	Chocolate Melting Machine
Packing Size(mm)	450*310*430
Dimensions(mm)	390*260*370
G/W(kg)	6.8
Power(w)	570
Voltage(v)	220/110



MODEL	FY-QK-1	FY-QK-2
Name	Squeeze Bottle Warmer	Squeeze Bottle Warmer
Packing Size(mm)	300*220*330	395*290*330
Dimensions(mm)	250*170*230	305*250*230
G/W(kg)	3.9	5.4
Power(w)	80	160
Voltage(v)	220/110	220/110



MODEL	FY-QK-3	FY-QK-4
Name	Squeeze Bottle Warmer	Squeeze Bottle Warmer
Packing Size(mm)	490*290*330	615*290*330
Dimensions(mm)	440*250*230	525*250*230
G/W(kg)	6.7	8
Power(v)	240	320
Voltage(v)	220/110	220/110
Diameter(mm)	80	80
Depth(mm)	16	160



MODEL	FY-Q7	FY-Q8
Name	Sauce Warmer	Sauce Warmer
Packing Size(mm)	315*345*300	550*380*300
Dimensions(mm)	265*400*370	500*400*370
G/W(kg)	6.7	9.5
Power(v)	500	1000
Voltage(v)	220/110	220/110



MODEL	FY-CC7
Name	Electric Contact Grill
Packing Size(mm)	470*335*290
Dimensions(mm)	273*328*220
G/W(kg)	15.5
Power(w)	2000
Voltage(v)	220/110
Upper Plate Size(mm)	260*260
Lower Plate Size(mm)	260*260



MODEL	FY-812E	FY-811C
Name	Electric Contact Grill	Electric Contact Grill
Packing Size(mm)	510*420*245	420*395*245
Dimensions(mm)	435*410*210	410*310*210
G/W(kg)	20	14.56
Power(w)	2200	1800
Voltage(v)	220/110	220/110
Upper Plate Size(mm)	338*235	214*214
Lower Plate Size(mm)	345*235	235*225



MODEL	FY-812	FY-811E
Name	Electric Contact Grill	Electric Contact Grill
Packing Size(mm)	510*420*245	510*420*245
Dimensions(mm)	435*410*210	435*410*210
G/W(kg)	20	20
Power(w)	2200	2200
Voltage(v)	220/110	220/110
Upper Plate Size(mm)	338*235	338*235
Lower Plate Size(mm)	345*235	345*235



MODEL	FY-811B	FY-811
Name	Electric Contact Grill	Electric Contact Grill
Packing Size(mm)	420*395*245	420*395*245
Dimensions(mm)	410*310*210	410*310*210
G/W(kg)	14.56	14.5
Power(w)	1800	1800
Voltage(v)	220/110	220/110
Upper Plate Size(mm)	214*214	214*214
Lower Plate Size(mm)	235*225	235*225



MODEL	FY-813B	FY-813C
Name	Electric Contact Grill	Electric Contact Grill
Packing Size(mm)	670*420*245	670*420*245
Dimensions(mm)	570*410*210	570*410*210
G/W(kg)	27	27
Power(w)	3600	3600
Voltage(v)	220	220
Upper Plate Size(mm)	214*214	214*214
Lower Plate Size(mm)	485*235	485*235



MODEL	FY-813	FY-813E
Name	Electric Contact Grill	Electric Contact Grill
Packing Size(mm)	670*420*245	670*420*245
Dimensions(mm)	570*410*210	570*410*210
G/W(kg)	27	27
Power(w)	3600	3600
Voltage(v)	220	220
Upper Plate Size(mm)	214*214	214*214
Lower Plate Size(mm)	485*235	485*235



MODEL	FY-LY811	FY-LY811-D
Name	Electric Contact Grill	Electric Contact Grill
Packing Size(mm)	420*490*280	420*490*280
Dimensions(mm)	360*480*250	360*480*250
G/W(kg)	20	20
Power(w)	2000	2000
Upper Plate Size(mm)	265*250	265*250
Lower Plate Size(mm)	270*255	270*255



MODEL	FY-LY811E	FY-LY811E-D
Name	Electric Contact Grill	Electric Contact Grill
Packing Size(mm)	550*490*280	550*490*280
Dimensions(mm)	490*380*250	490*380*250
G/W(kg)	25	25
Power(w)	2600	2600
Upper Plate Size(mm)	398*250	398*250
Lower Plate Size(mm)	400*255	400*255



MODEL	FY-YT-4	FY-353
Name	Round Griddle	Electric Griddle(Full Flat)
Packing Size(mm)	530*530*315	460*350*310
Dimensions(mm)	470*440*225	410*305*290
G/W(kg)	23	15.2
Power(w)	3000	2200
Voltage(v)	220/110	220/110
Single Plate Size(mm)	400	360*305



MODEL	FY-705	FY-705A
Name	Electric Griddle(Full Flat)	Electric Griddle (Half Grooved, Half Flat)
Packing Size(mm)	650*470*310	650*470*310
Dimensions(mm)	605*415*290	605*415*290
G/W(kg)	28.2	28.2
Power(w)	2200+2200	2200+2200
Voltage(v)	220/110	220/110
Single Plate Size(mm)	600*360	600*360



MODEL	FY-746	FY-821A
Name	Electric Griddle (Full Flat)	Electric Griddle (Grooved Plate)
Packing Size(mm)	520*500*315	600*490*240
Dimensions(mm)	470*480*290	540*450*220
G/W(kg)	21.5	16
Power(w)	2500	3000
Voltage(v)	220/110	220/110
Plate Size(mm)	460*360	540*298



MODEL	FY-822
Name	Electric Griddle(Half Flat/Half Grooved Plate)
Packing Size(mm)	760*540*240
Dimensions(mm)	730*520*230
G/W(kg)	38
Power(w)	4400
Voltage(v)	220
Plate Size(mm)	728*400
Plate Thickness(mm)	8

MODEL	FY-900.R
Name	Desktop Gas Griddle(Flat Plate)
Packing Size(mm)	940*700*275
Dimensions(mm)	905*670*250
G/W(kg)	78
Plate Size(mm)	900*490
Plate Thickness(mm)	12
Gas Type	LPG
Gas Pressure(Pa)	2800
Note	Low Pressure Valve Only.



MODEL	FY-JP41	FY-818
Name	Electric Contact Griddle(Teflon Surface)	Electric Griddle
Packing Size(mm)	410*480*230	600*520*270
Dimensions(mm)	360*430*180	550*490*240
G/W(kg)	11.5	25
Power(w)	1000	3000
Voltage(v)	220/110	220/110
Plate Size(mm)	300*260	547*350
Plate Thickness(mm)	8	8



MODEL	FY-900	FY-818A
Name	Electric Griddle (Flat Plate)	Electric Contact Grill (Flat Plate)
Packing Size(mm)	940*660*275	600*490*240
Dimensions(mm)	905*640*250	540*450*220
G/W(kg)	78	15
Power(w)	9000	3000
Voltage(v)	380	220/110
Plate Size(mm)	900*490	540*298
Plate Thickness(mm)	12	8



MODEL	HRB818	HRB820
Name	Electric Contact Griddle (Flat Plate)	Electric Contact Grill (Flat Plate)
Packing Size(mm)	600*515*320	785*535*320
Dimensions(mm)	550*480*297	735*515*298
G/W(kg)	28.1	41.5
Power(w)	3000	2200+2200
Voltage(v)	220/110	220/110
Plate Size(mm)	540*298	728*400



MODEL	FY-600	FY-600A
Name	Electric Griddle	Electric Griddle
Packing Size(mm)	670*520*290	670*520*290
Dimensions(mm)	645*510*250	645*510*250
G/W(kg)	25	25
Power(w)	3400	3400
Voltage(v)	220	220
Plate Size(mm)	635*365	635*365
Plate Thickness(mm)	10	10



MODEL	FY-250C	FY-400C
Name	Electric Griddle	Electric Griddle
Packing Size(mm)	525*315*300	585*450*300
Dimensions(mm)	475*365*270	535*400*270
G/W(kg)	16	22.8
Power(w)	1500	2500
Voltage(v)	220/110	220/110



MODEL	FY-J34	FY-239
Name	Double Induction Cooker	Sing induction cooker
Packing Size(mm)	605*400*210	350*400*210
Dimensions(mm)	555*370*175	300*370*175
G/W(kg)	10.7	6.5
Power(w)	4600	2600
Voltage(v)	220/110	220/110



MODEL	FY-820A	FY-820
Name	Electric Griddle (Flat Plate)	Electric Griddle (Flat Plate)
Packing Size(mm)	760*540*240	770*550*270
Dimensions(mm)	730*520*230	730*520*230
G/W(kg)	26	38
Power(w)	4400	4400
Voltage(v)	220	220
Plate Size(mm)	728*400	725*400
Plate Thickness(mm)	8	8



MODEL	FY-J34	FC-S36-2
Name	Electric Grill	Souffle machine
Packing Size(mm)	505*360*270	750*490*200
Dimensions(mm)	475*560*210	700*445*155
G/W(kg)	10.7	28
Power(w)	2200	2600
Voltage(v)	220/110	220/110



MODEL	FY-978D-Y (Cast iron Enamel)	FY-978-Y (Cast iron Enamel)
Name	Electric Lava Rock Grill	Gas Lava Rock Grill
Packing Size(mm)	665*560*325	665*560*325
Dimensions(mm)	610*510*365	610*510*365
G/W(kg)	34.1	34.1
Power(w)	2800	2800
Voltage(v)	LPG GAS TYPE	LPG GAS TYPE
	LOW PRESSURE AIR RELEASE ONLY	LOW PRESSURE AIR RELEASE ONLY



MODEL	FY-977D	FY-978D
Name	Electric Lava Rock Grill	Electric Lava Rock Grill
Packing Size(mm)	600*420*385	685*725*385
Dimensions(mm)	555*370*385	676*550*385
G/W(kg)	21.2	42
Power(w)	3500	7000
Voltage(mm)	220/110	220



MODEL	FY-977D-Y (Cast iron Enamel)	FY-978
Name	Electric Lava Rock Grill	Gas Lava Rock Grill
Packing Size(mm)	365*560*325	725*600*385
Dimensions(mm)	310*510*290	680*570*370
G/W(kg)	18.2	54
Power(w)	3500	3500
Voltage(v)	220/110	220/110



MODEL	FY-977	FY-979
Name	Gas Lava Rock Grill	Gas Lava Rock Grill
Packing Size(mm)	600*420*385	1030*600*385
Dimensions(mm)	555*370*385	985*585*385
G/W(kg)	24.8	63.4
Gas Type	LPG	LPG
Gas Pressure(Pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	DSZ25	RSZ17
Name	Donut fryer	Gas fryer
Packing Size(mm)	530*630*350	550*650*570
Dimensions(mm)	1050*700*650	505*505*520
G/W(kg)	35	26
Power(w)	3000	2800
Voltage(v)	220/110	LPG GAS TYPE
Temperature range(°C)	50-300	LOW PRESSURE AIR RELEASE ONLY



MODEL	FY-12V-A	FY-25V-A
Name	Electric Fryer	Electric Fryer
Packing Size(mm)	720*475*280	850*475*310
Dimensions(mm)	850*440*325	980*440*350
G/W(kg)	17.8	19.4
Power(w)	3000	4000
Voltage(v)	220/110	220
Temperature range(°C)	0-200	0-200



MODEL	HRA8L	HRA8Lx2
Name	1 Tank 1 Basket Electric Fryer	2 Tank 2 Baskets Electric Fryer
Packing Size(mm)	505*325*435	785*505*435
Dimensions(mm)	313*560*370	590*560*370
G/W(kg)	9.4	15.4
Power(w)	2850	2850+2850
Voltage(v)	220/110	220/110
Temperature range(°C)	0-200	0-200



MODEL	HRA6L	HRA6Lx2
Name	1 Tank 1 Basket Electric Fryer	2 Tank 2 Baskets Electric Fryer
Packing Size(mm)	505*325*385	785*505*385
Dimensions(mm)	560*313*320	590*560*320
G/W(kg)	9.2	13.5
Power(w)	2500	2500+2500
Voltage(v)	220/110	220/110
Temperature range(°C)	0-200	0-200



MODEL	FY-8L-GL
Name	Electric Fryer
Packing Size(mm)	500*315*430
Dimensions(mm)	460*310*385
G/W(kg)	8.7
Power(w)	2800
Voltage(v)	230
Basin Size(mm)	1/2*150*0.7



MODEL	FY-8L-A	FY-8L-2A
Name	Electric 1-Tank Fryer	Electric 2-Tank Fryer
Packing Size(mm)	490*330*340	600*490*340
Dimensions(mm)	450*270*320	560*450*320
G/W(kg)	6.6	11.5
Power(w)	2850	2850+2850
Voltage(v)	220/110	220/110
Basin Size(mm)	1/2*200*0.7	1/2*200*0.7



MODEL	FY-6LFE	FY-11LFE-2
Name	Electric 1-Tank Fryer	Electric 2-Tank Fryer
Packing Size(mm)	540*340*410	750*575*470
Dimensions(mm)	500*290*370	700*525*420
G/W(kg)	9.6	19.2
Power(w)	2500	3250+3250
Voltage(v)	220/110	220-240
Lowest Level(L)	2.25	8.9+8.9
Highest Level(L)	3.05	10+10
Largest Level(L)	6.45	16.25+16.25



MODEL	FY-6L-A	FY-6L-2A
Name	Electric Fryer	Electric Fryer
Packing Size(mm)	500*310*290	600*490*290
Dimensions(mm)	450*270*270	560*450*270
G/W(kg)	6.2	13
Power(w)	2500	2500+2500
Voltage(v)	220/110	220/110
Basin Size(mm)	1/2*150*0.7	1/2*150*0.7



MODEL	FY-8L.R
Name	Energy Saving Gas Fryer
Packing Size(mm)	610*355*500
Dimensions(mm)	570*315*480
G/W(kg)	15
Gas Type	LPG
Gas Pressure(Pa)	2800
Note	Low Pressure Valve Only.



MODEL	FY-12L	FY-12L-2
Name	Electric 1-Tank Fryer	Electric 2-Tank Fryer
Packing Size(mm)	510*340*440	630*510*440
Dimensions(mm)	500*290*420	580*500*420
G/W(kg)	9.6	17.5
Power(w)	3250	3250+3250
Voltage(v)	220	220



MODEL	FY-11L-A	FY-11L-2A
Name	Electric 1-Tank Fryer	Electric 2-Tank Fryer
Packing Size(mm)	520*370*340	725*520*340
Dimensions(mm)	480*330*320	685*480*320
G/W(kg)	7.3	13.5
Power(w)	3250	3250+3250
Voltage(v)	220	220
Basin Size(mm)	2/3*200*0.7	2/3*200*0.7



MODEL	FY-81	FY-82
Name	Electric 1-Tank Fryer	Electric 2 Tank Fryer
Packing Size(mm)	510*340*330	620*510*330
Dimensions(mm)	460*290*310	570*450*310
G/W(kg)	5	8
Power(w)	2500	2500+2500
Voltage(v)	220/110	220/110



MODEL	FY-30L
Name	Electric Fryer
Packing Size(mm)	645*595*385
Dimensions(mm)	590*560*360
G/W(kg)	9.2
Power(w)	6000
Voltage(v)	220



MODEL	FY-20L.R	FY-72
Name	Energy Saving Gas Fryer	Gas Fryer
Packing Size(mm)	675*640*500	630*565*485
Dimensions(mm)	635*600*480	570*540*465
G/W(kg)	22	17
Gas Type	LPG	LPG
Gas Pressure(Pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	FY-12V	FY-26L
Name	Electric Fryer	Electric Fryer
Packing Size(mm)	720*460*280	870*450*1070
Dimensions(mm)	670*435*280	860*420*1065
G/W(kg)	10.25	36
Power(w)	3000	10050
Voltage(v)	220/110	380



MODEL	RSZ23L	FY-2G
Name	Gas fryer	2 Tube Gas Fryer
Packing Size(mm)	720*650*1000	440*740*1100
Dimensions(mm)	670*595*1000	710*400*1120
G/W(kg)	50	43
Gas Type	LPG	LPG
Gas Pressure(Pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	T-101
Name	Donut Machine
Packing Size(mm)	1040*400*470
Dimensions(mm)	1050*400*650
G/W(kg)	36
Power(w)	3000
Voltage(v)	220/110



MODEL	T-101U
Name	Automatic digital donut machine
Packing Size(mm)	1040*400*470
Dimensions(mm)	1050*400*650
G/W(kg)	36
Power(w)	3000
Voltage(v)	220/110



MODEL	LBD4	LBD4-1
Name	Mini Donut Machine	Mini Donut Machine
Packing Size(mm)	530*430*400	530*430*400
Dimensions(mm)	500*400*450	500*400*450
G/W(kg)	18	18
Power(w)	2000	2000
Voltage(v)	220/110	220/110



MODEL	FC-JNG5L
Name	Manual Churros Machine
Packing Size(mm)	550*310*300+900*300*200
Dimensions(mm)	780*700*1505(Include Handle)
G/W(kg)	19
Yield(G)	50
Production Dimensions(mm)	15-30



MODEL	FC-LDG5
Name	Manual Churros Machine
Packing Size(mm)	670*330*305
Dimensions(mm)	310*270*650(Not Include Handle)
G/W(kg)	12
Yield(G)	50
Production Dimensions(mm)	15-30



MODEL	T-100
Name	2 Rows Donut Machine
Packing Size(mm)	1100*600*420
Dimensions(mm)	1200*550*720
G/W(kg)	57
Power(w)	6000
Voltage(v)	220/110



MODEL	T-100B
Name	Automatic gas donut machine
Packing Size(mm)	1300*650*840
Dimensions(mm)	1100*700*600
G/W(kg)	85
Power(w)	gas
Voltage(v)	220/110



MODEL	CT03	CT08
Name	Manual Cream Filling Machine	Electric Cream Filling Machine
Packing Size(mm)	580*320*200	380*450*550
Dimensions(mm)	530*150*580	350*400*550
G/W(kg)	8.6	30
Power(w)	0	400
Voltage(v)	0	220/110



MODEL	T-102	T-102RQ
Name	Manual donut machine	Gas donut machine
Packing Size(mm)	1050*700*650	950*650*600
Dimensions(mm)	1010*740*370	600*615*700
G/W(kg)	52	75
Voltage(v)	220/110	gas



MODEL	BH-QD-23	FY-982.R
Name	Electric Shawarma Machine	Gas Shawarma Machine
Packing Size(mm)	345*370*505	670*590*677
Dimensions(mm)	295*290*485	670*540*670
G/W(kg)	6.2	24.3
Gas Type	LPG	LPG
Gas Pressure(pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	FY-Q802.R	FY-QD23
Name	Gas Shawarma Machine	Gas Shawarma Machine
Packing Size(mm)	470*385*555	345*370*505
Dimensions(mm)	400*290*500	295*290*485
G/W(kg)	10.8	6.2
Power(w)	7700	6000
Voltage(v)	220	220
Gas Type	LPG	LPG
Gas Pressure(pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	FY-982D	FY-983
Name	Electric Shawarma Machine	Electric Shawarma Machine
Packing Size(mm)	670*590*677	670*590*850
Dimensions(mm)	670*540*550	670*540*780
G/W(kg)	22.8	29
Power(w)	2600	5200
Voltage(v)	220/110	220



MODEL	FY-983.R	FY-984.R
Name	Gas Shawarma Machine	Gas Shawarma Machine
Packing Size(mm)	670*590*850	670*590*1030
Dimensions(mm)	670*540*780	670*540*1015
G/W(kg)	27	32.5
Gas Type	LPG	LPG
Gas Pressure(pa)	2800	2800
Note	Low Pressure Valve Only.	Low Pressure Valve Only.



MODEL	FY-18	FY-984
Name	Electric Shawarma Machine	Electric Shawarma Machine
Packing Size(mm)	500*500*860	670*590*1030
Dimensions(mm)	450*450*850	670*540*1015
G/W(kg)	19	33.5
Power(w)	4800	7800
Voltage(v)	220	220



MODEL	FY-390A	FY-390B.R
Name	Electric Griddle	Gas Contact Grill
Packing Size(mm)	440*345*415	275*440*385
Dimensions(mm)	390*310*370	220*390*335
G/W(kg)	19.1	13.5
Power(w)	1040	2800
Voltage(v)	220	LPG GAS TYPE LOW PRESSURE AIR RELEASE ONLY



MODEL	FY-222	FY-233
Name	BBQ Grill	BBQ Grill
Configuration	Stainless Steel Cover	Satinless Steel Cover
Dimensions(mm)	570*410*185	800*410*185
N/W(kg)	8.2	11.6
Pressure(pa)	2800	2800
Grill Size(mm)	530*250	760*250



MODEL	GL-05	GL-JHD9
Name	Gas BBQ Grill	Electric BBQ Grill(Single Stove)
Material	Stainless Steel	Stainless Steel
Configuration	With Fan	Heating Tube With Temperature Controller
Dimension(mm)	670*410*230	600*360*180
N/W(kg)	12	7
Power(w)	2800	2400
Voltage(v)	220/110	220/110
Grill Size(mm)	425*220	420*200



MODEL	FY-EP-1F	FY-EP-1G
Name	Pizza Oven	Pizza Oven
Packing Size(mm)	610*570*320	610*570*320
Dimensions(mm)	560*570*280	560*570*280
G/W(kg)	20.8	20.8
Power(w)	2000	2000
Voltage(v)	220/110	220/110
Temperature range(°C)	0~350	0~350



MODEL	FY-EP-1	FY-EP-1A
Name	Pizza Oven(Stainless Steel)	Electric Pizza Oven(Spraying)
Packing Size(mm)	610*570*320	610*570*320
Dimensions(mm)	570*560*280	570*560*280
G/W(kg)	20.8	20.8
Power(w)	2000	2000
Voltage(v)	220/110	220/110



MODEL	FY-DBS-01	YH-EP-5
Name	Pizza Oven(Stainless Steel)	Pizza Oven(Stainless Steel)
Packing Size(mm)	510*450*220	610*570*320
Dimensions(mm)	490*460*285	570*560*280
G/W(kg)	8	20.8
Power(w)	1400	2000
Voltage(v)	220/110	220/110



MODEL	FY-EP-2	FY-EP-2A
Name	Pizza Oven(Stainless Steel)	Electric Pizza Oven(Spraying)
Packing Size(mm)	620*570*500	620*570*500
Dimensions(mm)	570*560*440	560*570*440
G/W(kg)	37.7	37.7
Power(w)	3000	3000
Voltage(v)	220/110	220/110



MODEL	YH-EP-3	YH-EP-4
Name	Pizza Oven	Pizza Oven
Packing Size(mm)	610*570*320	640*588*500
Dimensions(mm)	570*560*280	570*560*440
G/W(kg)	20.8	37.7
Power(w)	2000	3000
Voltage(v)	220/110	220/110
Temperature range(°C)	0~350	0~350



MODEL	YH-1A	YH-1A-1
Name	Convection Oven	Convection Oven(Enamel)
Packing Size(mm)	675*645*655	675*645*655
Dimensions(mm)	595*590*570	595*590*570
G/W(kg)	37.6	37.6
Power(w)	2400	2400
Voltage(v)	220/110	220/110



MODEL	FY-EP-1C	FY-EP-2C
Name	Pizza Oven	Pizza Oven
Packing Size(mm)	610*570*320	610*570*480
Dimensions(mm)	560*570*280	560*570*440
G/W(kg)	20.8	33.3
Power(w)	2000	3000
Voltage(v)	220/110	220/110
Temperature range(°C)	0~350	0~350



MODEL	YH-4A
Name	Convection Oven
Packing Size(mm)	675*645*655
Dimensions(mm)	595*590*570
G/W(kg)	38.5
Power(w)	4400
Voltage(v)	220





MODEL	FY-16.R
Name	Gas Salamander
Packing Size(mm)	880*520*610
Dimensions(mm)	872*490*602
G/W(kg)	45
Gas Type	LPG
Gas Pressure(Pa)	2800
Note	Low Pressure Air Release Valve Only.

MODEL	HRE036
Name	Electric Salamander
Packing Size(mm)	590*365*370
Dimensions(mm)	540*465*335
G/W(kg)	13.1
Power(w)	2000
Voltage(v)	220/110



MODEL	FY-360	FY-370
Name	Electric Salamander	Electric Salamander
Packing Size(mm)	480*340*330	480*340*430
Dimensions(mm)	440*300*290	440*300*405
G/W(kg)	7	7.5
Power(w)	2400	3600
Voltage(v)	220/110	220



MODEL	FC-005	FY-SJ-450
Name	Automatic lifting surface stove	Lift Electric Salamander
Packing Size(mm)	490*500*540	575*570*580
Dimensions(mm)	450*470*520	510*480*520
G/W(kg)	17	37.3
Power(w)	2600	2800
Voltage(v)	220/110	220/110



MODEL	FY-935	FY-936
Name	Electric Salamander	Electric Salamander
Packing Size(mm)	525*365*320	680*365*300
Dimensions(mm)	485*350*300	645*320*280
G/W(kg)	10.5	11.8
Power(w)	1960	2000
Voltage(v)	220/110	220/110



MODEL	FY-2215-D	FY-2215-H
Name	Electric Toaster	Electric Toaster
Packing Size(mm)	570*445*335	570*445*335
Dimensions(mm)	510*385*285	510*385*285
G/W(kg)	16.5	16.5
Power(w)	2200	2200
Voltage(v)	220/110	220/110



MODEL	TT-A300	TT-150
Name	Electric Conveyor Toaster	Electric Conveyor Toaster
Packing Size(mm)	540*490*400	510*360*380
Dimensions(mm)	510*430*350	560*320*200
G/W(kg)	14.5	14
Power(w)	2200	1300
Voltage(v)	220/110	220/110



MODEL	ETS-4	ETS-6
Name	Electric Toaster(4 Slice)	Electric Toaster(6 Slice)
Packing Size(mm)	670*305*520	590*480*520
Dimensions(mm)	290*215*200	425*215*200
G/W(kg)	9	10
Power(w)	1800	2500
Voltage(v)	220/110	220/110



MODEL	TT-300	TT-300-D
Name	Electric Conveyor Toaster	Electric Conveyor Toaster
Packing Size(mm)	510*440*380	510*540*380
Dimensions(mm)	560*385*200	560*460*200
G/W(kg)	16	33.5
Power(w)	2200	2600
Voltage(v)	220/110	220/110



MODEL	FY-1P
Name	Curved Warming Showcase
Packing Size(mm)	495*410*515
Dimensions(mm)	460*355*475
G/W(kg)	17
Power(w)	800
Voltage(v)	220/110



MODEL	FY-1P-A
Name	Square Warming Showcase
Packing Size(mm)	370*370*490
Dimensions(mm)	355*355*475
G/W(kg)	13
Power(w)	800
Voltage(v)	220/110



MODEL	FY-2P
Name	Curved Warming Showcase
Packing Size(mm)	715*540*640
Dimensions(mm)	660*460*600
G/W(kg)	26
Power(w)	890
Voltage(v)	220/110



MODEL	FY-1P-E
Name	Hot Dog Warmer
Packing Size(mm)	470*425*660
Dimensions(mm)	435*400*640
G/W(kg)	12.5
Power(w)	1200
Voltage(v)	220/110



MODEL	FY-331
Name	Nacho Warmer
Packing Size(mm)	475*385*650
Dimensions(mm)	395*320*575
G/W(kg)	10.3
Power(w)	160
Voltage(v)	220/110



MODEL	FY-332	FY-331-Q7A
Name	Food Warmer	Nacho Warmer
Packing Size(mm)	445*370*550	475*385*650
Dimensions(mm)	400*340*510	395*320*575
G/W(kg)	12.6	14
Power(w)	100	570+160=730
Voltage(v)	220/110	220/110



MODEL	FY-350	FY-580
Name	Warming Showcase	Warming Showcase
Packing Size(mm)	400*395*550	690*420*535
Dimensions(mm)	350*350*530	640*350*530
G/W(kg)	11	22
Power(w)	400	1000
Voltage(v)	220/110	220/110



MODEL	FY-500	FY-600
Name	Bun Steamer	Bun Steamer
Packing Size(mm)	455*400*780	570*486*915
Dimensions(mm)	400*380*745	510*475*840
G/W(kg)	23	18.5
Power(w)	900	1500
Voltage(v)	220/110	220/110



MODEL	FY-206
Name	Warming Showcase
Packing Size(mm)	540*440*320
Dimensions(mm)	500*400*300
G/W(kg)	11.8
Power(w)	300
Voltage(v)	220/110



MODEL	FY-101
Name	Electric Dish Warming Cart
Packing Size(mm)	500*580*960
Dimensions(mm)	560*460*950
G/W(kg)	29
Power(w)	400
Voltage(v)	220/110



MODEL	YH-5T	YH-10T
Name	5L Milk Warmer	10L Milk Warmer
Packing Size(mm)	420*335*510	480*405*555
Dimensions(mm)	385*285*490	450*350*540
G/W(kg)	9.5	13
Power(w)	1000	1500
Voltage(v)	220/110	220/110



MODEL	FY-602	FY-604
Name	Curved Warming Showcase	Curved Warming Showcase
Packing Size(mm)	950*560*700	430*560*700
Dimensions(mm)	900*485*645	485*380*645
G/W(kg)	43.5	23.5
Power(w)	1940	1320
Voltage(v)	220/110	220/110



MODEL	FY-T53A	FY-T60
Name	Hot Plate Food Warmer	Hot Plate Food Warmer
Packing Size(mm)	630*425*100	760*630*100
Dimensions(mm)	565*380*75	720*585*75
G/W(kg)	5.4	9.7
Power(w)	260	520
Voltage(v)	220/110	220/110
Temperature Range(°C)	0-85	0-85
Glass size(mm)	526*324*6	526*324*6



MODEL	FY-320A	FY-NB-2
Name	Nachos Warmer	Cup Warmer
Packing Size(mm)	405*395*560	385*360*570
Dimensions(mm)	355*345*525	360*320*550
G/W(kg)	13.2	13.2
Power(w)	300	150
Voltage(v)	220/110	220/110
Temperature Range(°C)	0-55	0-75



MODEL	FY-620	FY-540
Name	French Fries Warmer	French Fries Warmer
Packing Size(mm)	815*465*210	415*385*165
Dimensions(mm)	630*350*560	565*335*135
G/W(kg)	9	8
Power(w)	1000	550
Voltage(v)	220/110	220/110



MODEL	FY-560	FY-T60-B
Name	French Fries Warmer	Hot Plate Food Warmer(with light)
Packing Size(mm)	600*390*230	630*390*670
Dimensions(mm)	565*335*135	730*585*625
G/W(kg)	9.5	17.4
Power(w)	1000	1070
Voltage(v)	220/110	220/110



MODEL	DW-05L (White/Black Color)	DW-05
Name	Milk Steamer	Milk Steamer
Packing Size(mm)	290*400*550	290*400*550
Dimensions(mm)	200*320*460	200*300*450
Voltage(v)	220/110	220/110
Capacity(l)	5	5
Power(w)	2500/2000	2500/2000



MODEL	SZ-SD-10A	SZ-SD-10T
Name	Water Boiler & Milk Steamer	Water Boiler & Milk Steamer
Packing Size(mm)	300*430*650	300*430*650
Dimensions(mm)	250*370*580	250*370*580
Voltage(v)	220/110	220/110
Capacity(l)	8	10
Power(w)	2500/2000	3000/2000



MODEL	SZ-SD-05A	SD-05
Name	Milk Steamer	Milk Steamer
Packing Size(mm)	270*380*520	270*380*520
Dimensions(mm)	200*355*460	200*355*460
Voltage(v)	220/110	220/110
Capacity(l)	5	5
Power(w)	2000	2000



MODEL	FC-H20	FC-S30
Name	Water Boiler	Water Boiler
Packing Size(mm)	190*255*600	190*255*660
Voltage(v)	220/110	220/110
Capacity(l)	7.8	9.8
Power(w)	2100	3000



MODEL	ST-N2000	ST-300
Name	Smoothie Blender	Smoothie Blender
Packing Size(mm)	290*285*540	220*220*460
Voltage(v)	220	220/110
G/W(kg)	8	
Power(w)	1200	800



MODEL	GL-YT-9003	GL-GP-9003
Name	Smoothie Blender	Smoothie Blender
Dimensions(mm)	290*285*540	320*280*525
Capacity(ml)	1000	2000
Power(W)	1800	1800
G/W(kg)	8	8.5
Color	White/ Black	White/ Black



MODEL	ST-N5000	ST-N9000
Name	Smoothie Blender	Smoothie Blender
Packing Size(mm)	240*320*485	225*225*480
Voltage(v)	220/110	220/110
Capacity(ml)	1800	1300
Power(w)	1500	1800



MODEL	GL-ST-Q9	GL-YT-901
Name	Smoothie Blender	Smoothie Blender
Dimensions(mm)	215*350*375	220*230*490
Capacity(ml)	1500	1500
Power(W)	1800	1800
G/W(kg)	8.5	7.5
Color	White/ Black	Black



MODEL	GL-CBJ001	FC-G550
Name	Ice Cream Roll Machine	automatic cleaning machine espresso coffee knock box
Packing Size(mm)	340*280*300	400*348*173
Voltage(v)	220/110	220/110
G/W(kg)	15	2.8
Power(w)	300	20



MODEL	GL-ST01
Name	French Fries Machine
Packing Size(mm)	275*200*485
Dimensions(mm)	200*260*450
G/W(kg)	5.5
Operation Mode	Manual



MODEL	G510N (black)	G510N (White)
Name	Automatic Coffee Powder Press	Automatic Coffee Powder Press
Packing Size(mm)	230*230*380	230*230*380
Voltage(v)	220/110	220/110
Capacity(l)	5.5	5.5
Power(w)	60	60



MODEL	FY-P01	GL-P05
Name	French Fries Cutter(Vertical Type)	French Fries Cutter(Horizontal Type)
Packing Size(mm)	340*155*635	430*220*335
Dimensions(mm)	330*145*630	400*190*300
N/W(kg)	5	6
G/W(kg)	5.5	7



MODEL	FY-P03	FY-P04
Name	Potato Twister	Electric Potato Twister
Packing Size(mm)	280*135*150	525*200*240
Dimensions(mm)	260*140*140	455*145*175
G/W(kg)	5	14.5
Power(w)	Manual	40
Voltage(v)	Manual	220/110



MODEL	FZC-L1	GL-L2
Name	Dispenser	Dispenser
Dimensions(mm)	300*215*160	300*215*160
Holder size(mm)	115*130*165	115*130*165
Material	304 Stainless steel	304 Stainless steel



MODEL	BH-1001	BH-1002	BH-1003
Name	Sixgrid crispy pastrymachine	Sandwichmachinee	Sixgrid waffles
Packing Size(mm)	420*380*270	420*380*270	420*380*270
Dimensions(mm)	370*340*235	370*340*235	370*340*235
N/W(kg)	8.6	8.9	9.3
G/W(kg)	10.8	11	11.2
power(w)	1550	1550	1550
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	140*40*30	180*92*20	75*24



MODEL	BH-1004	BH-1005	BH-1011
Name	Ten grid waffle furnace	Korean style small fishcake	Five gridcrispy pastrymachine
Packing Size(mm)	420*380*270	420*380*270	385*375*300
Dimensions(mm)	370*340*235	370*340*235	335*340*260
N/W(kg)	8	8.8	8.3
G/W(kg)	10.2	10.9	10.5
power(w)	1550	1550	1550
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	81*56*14	86*62*28	140*40*30



MODEL	BH-1012	BH-1013	BH-1014
Name	12Grid redbean cake	12Grid round pastry	Twelve ball pastries
Packing Size(mm)	385*375*300	385*375*300	385*375*300
Dimensions(mm)	335*340*260	335*340*260	335*340*260
N/W(kg)	8	8.2	9.7
G/W(kg)	10.2	10.4	11.9
power(w)	1550	1550	1550
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	45*28	50*20	37



MODEL	BH-1015	BH-1016	BH-1017
Name	5Grid BallShaped Waffle Maker	6 grid donuts	Five gridcrispy pastrymachine
Packing Size(mm)	385*375*300	385*375*300	385*375*300
Dimensions(mm)	335*340*260	335*355*245	335*355*245
N/W(kg)	7.9	8.3	8.2
G/W(kg)	9.9	9.1	9.1
power(w)	1550	1550	1550
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	73*28	76*24	154*40*40



MODEL	BH-2001	BH-2002	BH-3001
Name	Single Waffle Maker	Rotary waffle Maker	Pine tree machine
Packing Size(mm)	430*305*295	500*310*350	350*490*300
Dimensions(mm)	390*250*260	490*250*300	300*430*255
N/W(kg)	5.5	9.1	9.4
G/W(kg)	6.2	10.1	10
power(w)	1300	1300	1750
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	8	185*16	225*56*30



MODEL	BH-3002	BH-3003	BH-3004
Name	2geid waffle furnace	4 Grid wafers	6Grid Waffle Maker
Packing Size(mm)	350*490*300	350*490*300	350*490*300
Dimensions(mm)	300*430*255	300*430*255	300*430*255
N/W(kg)	9	8.1	8
G/W(kg)	11.2	9.3	10.2
power(w)	2000	1750	1750
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	170*105*26	100*83*28	110*70*22



MODEL	BH-3005	BH-3006	BH-3007
Name	Sunflower Shaped Waffle Maker	Hello Kitty Waffle Maker	4 Grid Waffle Maker
Packing Size(mm)	350*490*300	350*490*300	350*490*300
Dimensions(mm)	300*430*255	300*430*255	300*430*255
N/W(kg)	10.6	10.4	10
G/W(kg)	12.6	12.6	12.3
power(w)	1750	1750	1750
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	105*105*31	50*46*18	115*18



MODEL	BH-3008	BH-3009	BH-3010
Name	Bomb burning	Butterfly machine	Small muffin machine
Packing Size(mm)	350*490*300	350*490*300	350*490*300
Dimensions(mm)	300*430*255	300*430*255	300*430*255
N/W(kg)	11.2	10.1	8.8
G/W(kg)	13.2	12.2	9.8
power(w)	1750	1750	1750
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	40	97*82*24	43*20



MODEL	BH-3011	BH-3012	BH-4001
Name	25hole small muffin machine	50 hole small muffin machine	Taiyaki(Six fish)
Packing Size(mm)	340*420*200	585*380*200	370*850*235
Dimensions(mm)	290*380*160	535*345*165	320*800*200
N/W(kg)	5	9.7	13.1
G/W(kg)	6.5	11.1	15.2
power(w)	850	1500	3000
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	43*10	43*10	128*78*28



MODEL	BH-4002	BH-4003	BH-4004
Name	Defecate burning	Three grid waffles	Fourteen little fish cubs
Packing Size(mm)	370*600*235	370*600*235	370*600*235
Dimensions(mm)	320*550*200	320*550*200	320*550*200
N/W(kg)	9.3	9.3	9.3
G/W(kg)	11.8	11.8	11.8
power(w)	1400	1400	1400
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	130*95*26	118*70*22	54*34*30



MODEL	BH-4005	BH-6001	BH-6002
Name	Twelve ball pastries	Ninegridred bean cake	12hole electricred bean cakemachine
Packing Size(mm)	370*600*235	415*370*290	460*400*260
Dimensions(mm)	320*550*200	330*365*225	425*390*200
N/W(kg)	9.9	8	8
G/W(kg)	12.5	10.2	9
power(w)	1400	2500	2800
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	40	70*20	68*15



MODEL	BH-7003	BH-7004	BH-7005
Name	Quail egg machine	Baking hot dog machinte	Nine hole hamburger machine
Packing Size(mm)	380*365*200	380*370*200	340*420*200
Dimensions(mm)	330*340*170	330*340*175	290*380*165
N/W(kg)	4.9	4.9	5.2
G/W(kg)	6.3	5.8	6.1
power(w)	1500	1500	2500
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	36	198*32*17	80*25



MODEL	BH-6003	BH-7001	BH-7002
Name	16hole electric redbean cake machine	30hole fish ball furnace	18hole fish ball furnace
Packing Size(mm)	510*465*290	380*390*200	400*350*200
Dimensions(mm)	490*420*200	330*360*165	350*320*160
N/W(kg)	9.7	5.1	4
G/W(kg)	11.1	6.5	5.8
power(w)	3000	1500	2000
Volts/V	220/240	220/240	220/240
Temperaturerange	0-300°C	0-300°C	0-300°C
Waffle Size	68*23	40	45



MODEL	BH-7006
Name	25Hole fish Ball Road
Packing Size(mm)	340*420*200
Dimensions(mm)	29*380*160
N/W(kg)	5
G/W(kg)	6.1
power(w)	2500
Volts/V	220/240
Temperaturerange	0-300°C
Waffle Size	40

MODEL	BH-8001	BH-8002
Name	Electric furnace	Electric furnace
Packing Size(mm)	605*465*230	740*515*230
Dimensions(mm)	550*435*190	685*485*190
N/W(kg)	22.5	22.5
G/W(kg)	24.6	24.6
power(w)	3000	3000
Volts/V	220/240	220/240
Temperaturerange	0-300°C	0-300°C
Single Pie Size	540*298	728*400
Plate Thickness	8	8



MODEL	BH-8003	BH-8004	BH-8005
Name	Single Electric Contact Grill(Full Grooved)	Single Electric Contact Grill(Full Grooved)	Double Electric Contact Grill(Full Grooved)
Packing Size(mm)	420*395*245	510*420*245	670*420*245
Dimensions(mm)	410*310*210	435*410*210	570*410*210
N/W(kg)	13	19	25.5
G/W(kg)	14	20	27
power(w)	1800	2200	3600
Volts/V	220/240	220/240	220/240
Temperature range	0-300°C	0-300°C	0-300°C
Upper board size	214*214	338*235	214*214
Lower plate size	235*225	345*235	485*235



MODEL	BH-9001	BH-9002	BH-9004
Name	1Tank 1 Basket Electric Fryer	2 Tanks 2 Baskets Electric Fryer	2 Tanks 2 Baskets Electric Fryer
Packing Size(mm)	470*325*310	600*470*310	600*470*360
Dimensions(mm)	410*265*270	545*410*270	545*410*320
N/W(kg)	5.2	10.1	11.5
G/W(kg)	7.2	12	13.1
power(w)	2500	2500+2500	2850+2850
Volts/V	220/240	220/240	220/240
Temperature range	0-200°C	0-200°C	0-200°C
Waffle Size	1/2*150*0.7	1/2*150*0.7	1/2*200*0.7
	1/2*150*0.8		



Name	Simulation Waffle Model
Material	Polymer Simulation Material
Color	Multiple color
Size(mm)	275/200
Weight(kg)	0.35-0.45
Durability period(year)	1



Name	Simulation Thick Toast Bread Model
Material	Polymer Simulation Material
Color	Multiple color
Size(mm)	275/200
Weight(kg)	0.35-0.45
Durability period(year)	1



Name	Simulation Ice Cream Bowl Model
Material	Polymer Simulation Material
Color	Multiple color
Size(mm)	120*120*120
Weight(kg)	0.3-0.35
Durability period(year)	1



Name	Simulation Egg Bubble Waffle Model
Material	Polymer Simulation Material
Color	Multiple color
Size(mm)	60*60*200
Weight(kg)	0.23-0.47
Durability period(year)	1





Name	Fake Crispy Ice Cream Model Display
Material	Resin Adhesive
Color	Multiple Colour
Model Dimensions(mm)	55*160*220
Holder Dimensions(mm)	105*150
Dummy Waffle Weight(kg)	0.205
Rack Weight(kg)	0.143



Name	Fake Crispy Ice Cream Model Display
Material	Resin Adhesive
Color	Multiple Colour
Model Dimensions(mm)	55*160*220
Holed Dimensinos(mm)	105*150
Dummy Waffle Weight(kg)	0.250
Rack Weight(kg)	0.143



Name	Fake Crispy Ice Cream Model Display
Material	Resin Adhesive
Colour	Multiple Colour
Model Dimensions(mm)	53*170*270
Holder Dimensions(mm)	105*150
Dummy Waffle Weight(kg)	0.185
Rack Weight(kg)	0.143



Name	Simulation Ice Cream Model Display
Material	Resin Adhesive
Colour	Multiple Colour
Model Diamention(mm)	96*160*230
Hodle Dimamention(mm)	105*150
Dummy Waffle Weight(kg)	0.4
Rack Weight(kg)	0.143